



TYPE	OD	WALL	GRADE	CONNS	CLASS	UPSET	LENGTH	QUANTITY
SHORT HDD ROD	5	0.362	S135	4 1/2 IF	NEW	IEU	20'	300 - AUGUST
SHORT HDD ROD	5	0.362	S135	DS50 (4 1/2" IF DS)	NEW	IEU	20'	300 - AUGUST

TYPE	OD	ID	STYLE	CLASS	QUANTITY
NON MAG DC	4 3/4	2 1/4	SLICK	NEW	3
NON MAG DC	4 3/4	2 11/16	SLICK	NEW	2
NON MAG DC	5 7/8	2 13/16	SLICK	PREMIUM	4
NON MAG DC	6	2 13/16	SLICK	PREMIUM	4
NON MAG DC	6 1/4	2 7/8	SLICK	PREMIUM	5
NON MAG DC	6 1/4	3 1/4	SLICK	PREMIUM	1
NON MAG DC	6 1/2	2 13/16	SLICK	PREMIUM	3
NON MAG DC	6 1/2	2 13/16	SLICK	NEW	2
NON MAG DC	6 1/2	3 1/4	SLICK	NEW	5
NON MAG DC	6 3/4	2 13/16	SLICK	NEW	1
NON MAG DC	6 3/4	3 1/4	SLICK	NEW	2
NON MAG DC	8	2 13/16	SLICK	NEW	3
NON MAG DC	8	3 1/4	SLICK	NEW	1
NON MAG DC	8 1/4	2 13/16	SLICK	NEW	3
NON MAG DC	8 1/4	3 1/4	SLICK	NEW	2
NON MAG DC	9 1/2	3	SLICK	NEW	2

TYPE	SIZE	WEIGHT	GRADE	CONNS	CLASS	TJ DIM	NOTES	QUANTITY
31' DRILL PIPE	2 7/8	10.40	S135	AOH	PREMIUM	3 3/4 - 3 7/8	HB	452
31' DRILL PIPE	2 7/8	10.40	S135	HT PAC	PREMIUM	3 1/8 X 1 1/2	IPC	164
31' DRILL PIPE	2 7/8	10.40	S135	NC31	PREMIUM	4 1/16 - 4 1/8		78
31' DRILL PIPE	3 1/2	13.30	S135	NC38	PREMIUM	4 3/4 - 4 7/8	HB	1253
31' DRILL PIPE	3 1/2	15.50	G105	NC38	PREMIUM	4 11/16 - 4 3/4	IPC	183
31' DRILL PIPE	3 1/2	15.50	S135	NC38	PREMIUM	4 3/4 - 4 7/8	IPC	461
31' DRILL PIPE	4	14.00	S135	XT39	PREMIUM	4 13/16 - 4 7/8		622
31' DRILL PIPE	4	14.00	S135	XT39	NEW - G.PRIDECO	4 7/8	HB/IPC	1100
31' DRILL PIPE	4	14.00	S135	XT39	NEW - G.PRIDECO	4 7/8	HB	1100
31' DRILL PIPE	4	14.00	G105	FH	PREMIUM	5 1/8 - 5 1/4	HB/IPC	336
31' DRILL PIPE	4	14.00	S135	FH	PREMIUM	5 1/8 - 5 1/4	HB/IPC	974
31' DRILL PIPE	4 1/2	16.60	S135	XTM40	PREMIUM	5 1/4 X 2 11/16	HB/IPC	1235
31' DRILL PIPE	4 1/2	20.00	S135	XTM40	PREMIUM	5 1/4 X 2 11/16	HB/IPC	489
31' DRILL PIPE	4 1/2	16.60	X95	NC46	PREMIUM	5 7/8 - 6 1/8		145
31' DRILL PIPE	4 1/2	16.60	G105	NC46	PREMIUM	6 - 6 1/8	HB/IPC	315
31' DRILL PIPE	4 1/2	16.60	S135	NC46	PREMIUM	5 7/8 - 5 15/16		207
31' DRILL PIPE	4 1/2	16.60	S135	NC46	PREMIUM	6 - 6 1/16	HB	400
31' DRILL PIPE	4 1/2	16.60	S135	NC46	PREMIUM	6 1/8 - 6 1/4	HB	438
31' DRILL PIPE	4 1/2	20.00	X / G	NC46	PREMIUM	6 - 6 1/4	HB	267



31' DRILL PIPE	4 1/2	20.00	G105	NC46	PREMIUM	5 7/8 - 5 15/16		79
31' DRILL PIPE	4 1/2	20.00	G105	NC46	PREMIUM	6 - 6 1/4		305
31' DRILL PIPE	4 1/2	16.60	G105	NC46	NEW T.S.C.	6 1/4	HB/IPC	1290
31' DRILL PIPE	4 1/2	16.60	S135	NC46	NEW G.PRIDECO	6 1/4	HB/IPC	1584
31' DRILL PIPE	4 1/2	20.00	X95	NC46	NEW T.S.C.	6 1/4	HB/IPC	217
45.5' DRILL PIPE	4 1/2	16.60	S135	DS46	NEW T.S.C.	6 1/4	RANGE 3 / IPC	260
31' DRILL PIPE	5	19.50	S135	TT525	PREMIUM	6 1/2 X 3 7/8	DRILL N' LEAVE	785
31' DRILL PIPE	5	19.50	S135	NC50	PREMIUM	6 1/2 - 6 5/8	HB/IPC	436
31' DRILL PIPE	5	25.60	S135	NC50	PREMIUM	6 7/16 - 6 5/8		625
31' DRILL PIPE	5	25.60	S135	4 1/2 IF D.S.	PREMIUM	6 7/16 - 6 5/8		473
31' DRILL PIPE	5	34.00	S135	NC50	PREMIUM	6 1/2 - 6 5/8	HB/IPC	269
42.5' DRILL PIPE	5	19.50	S135	NC50	PREMIUM	6 1/2 - 6 5/8	RANGE 3 / HB/IPC	91
31' DRILL PIPE	5 1/2	24.70	G105	FH	PREMIUM	7 1/8 X 3 1/2		348
31' DRILL PIPE	5 1/2	24.70	S135	FH	PREMIUM	7 1/4 - 7 1/2 x 3	HI-TORQUE FH	459
31' DRILL PIPE	5 1/2	24.70	S135	FH D.S.	UNUSED	7 X 4		70
31' DRILL PIPE	5 1/2	24.70	S135	FH D.S.	NEW	7 1/2 X 3 1/2	MAKE/BREAK	124
31' DRILL PIPE	5 1/2	24.70	S135	FH	NEW	7 1/2 X 3 1/2	MAKE/BREAK	124
31' DRILL PIPE	5 7/8	23.40	S135	CTM57	PREMIUM	7 OD X 4 1/4 ID		284
31' DRILL PIPE	5 7/8	23.40	S135	XT57	PREMIUM	7 OD X 4 1/4 ID		159
31' DRILL PIPE	5 7/8	28.70	S135	CTM57	PREMIUM	7 OD X 4 1/4 ID		118
31' DRILL PIPE	6 5/8	27.70	S135	5 1/2 FH D.S.	NEW	7 1/2 X 3 1/2	MAKE/BREAK	450
31' DRILL PIPE	6 5/8	34.01	S135	5 1/2 FH D.S.	NEW	7 1/2 X 3 1/2	MAKE/BREAK	250
31' DRILL PIPE	6 5/8	27.70	S135	6 5/8 FH	PREMIUM	8 OD X 5 ID		62
31' DRILL PIPE	6 5/8	27.70	S135	6 5/8 FH	PREMIUM	8 1/4 - 8 1/2		663
31' DRILL PIPE	6 5/8	34.01	S135	6 5/8 FH	PREMIUM	8 1/4 - 8 1/2		178
31' DRILL PIPE	6 5/8	27.70	S135	6 5/8 FH	NEW	8 1/2 X 4 1/4	MAKE/BREAK	295
31' DRILL PIPE	6 5/8	27.70	S135	6 5/8 FH D.S.	NEW	8 1/2 X 4 1/2	MAKE/BREAK	400 - 6 WKS
31' DRILL PIPE	6 5/8	34.01	S135	6 5/8 FH D.S.	NEW	8 1/2 X 4 1/4	MAKE/BREAK	199
31' DRILL PIPE	7 5/8	33 (OR) 38	S135	6 5/8 FH D.S.	NEW	8 1/4 X 4	MAKE/BREAK	500 - 4 MOS

TYPE	OD	WALL	TJ ID	CONNS	CLASS	TJ OD	LENGTH
WATER WELL ROD	4.5	0.337	2 1/8	2 7/8 IF FJ	NEW	4 1/2	20'
WATER WELL ROD	5.5	0.362	2 11/16	3 1/2 IF FJ	NEW	4 3/4	20'
WATER WELL ROD	5.5	.362/.478	1 1/2	3 1/2 REG FJ	NEW	4 1/2	20'
WATER WELL ROD	4.5	0.337	2 1/4	3 1/2 REG	NEW	5 1/2	20'
WATER WELL ROD	3 1/2	0.368	1 5/8	2 3/8 IF FJ	NEW	3 1/2	20'
WATER WELL ROD	2 7/8	0.276	1 5/8	2 3/8 IF	NEW	3 1/2	20'
WATER WELL ROD	2 3/8	.280/.254	1 5/8	2 3/8 IF	NEW	3 1/2	10', 15', 20'
WATER WELL ROD	2 3/8	.280/.254	1 1/2	2 3/8 FEDP	NEW	3 1/8	10', 15', 20'
WATER WELL ROD	2 7/8	0.276	3 1/4	2 7/8 FEDP	NEW	3 3/4	10', 15', 20'
WATER WELL ROD	2 3/8	0.190	1 1/2	MAYHEW JR	NEW	2 3/4	5', 10'



WATER WELL ROD	2 3/8	.280/.254	1 1/2	MAYHEW JR	NEW	2 7/8	10', 15', 20'
WATER WELL ROD	2 7/8	0.276	3 1/4	2 7/8 FEDP	NEW	3 3/4	10', 15', 20'
WATER WELL ROD	3 1/2	0.368	1 1/2	MAYHEW REG FJ	NEW	3 1/2	20'
WATER WELL ROD	2 3/8	.280/.254	1 1/2	MAYHEW REG	NEW	2 7/8	10', 15', 20'
WATER WELL ROD	1 3/4	0.188	5/8	AWJ / AW	NEW	1 3/4	5', 10'
WATER WELL ROD	1 3/4	0.250	5/8	AWJ / AW	NEW	1 3/4	5', 10'
WATER WELL ROD	2 5/8	0.188		AWJ / AW	NEW	2 5/8	5', 10'
WATER WELL ROD	2 5/8	0.250		AWJ / AW	NEW	2 5/8	5', 10'
DRILL COLLAR	10		SLICK	BLANK	NEW	5" ID	31'
DRILL COLLAR	11		SLICK	BLANK	NEW	6" ID	31'

TYPE	OD	ID	STYLE	CONN	CLASS	OD RANGE	NOTES	QUANTITY
DRILL COLLARS	3 1/8	1 1/4	SLICK	2 3/8 PAC	NEW SURPLUS	3 1/8		38
DRILL COLLARS	3 1/8	1 1/4	SLICK	BLANK	NEW	3 1/8		10
DRILL COLLARS	3 1/8	1 1/2	SLICK	BLANK	NEW	3 1/8		11
DRILL COLLARS	3 1/2	1 1/2	SLICK	BLANK	PREMIUM	3 1/2		3
DRILL COLLARS	4 1/8	2	SLICK	BLANK	NEW	4 1/8		16
DRILL COLLARS	4 1/2	2	SPIRAL	3 1/2 XH	PREMIUM	4 1/2	SLIP/ELEV	8
DRILL COLLARS	4 3/4	2	SLICK	BLANK	NEW	4 3/4		16
DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	PREMIUM	4 11/16 - 4 3/4	SLIP/ELEV	25
DRILL COLLARS	4 3/4	2 1/4	SLICK	BLANK	NEW	4 3/4	SLIP	33
DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	NEW	4 3/4	SLIP	13
DRILL COLLARS	4 7/8	2 1/4	SPIRAL	3 1/2 IF	NEW	4 7/8		13
DRILL COLLARS	4 7/8	2 1/4	SPIRAL	BLANK	NEW	4 7/8		5
DRILL COLLARS	5 1/4	2 1/4 - 2 11/16	SLICK	BLANK	NEW	5 1/4		13
DRILL COLLARS	5 1/2 - 6	2 3/8 - 2 5/8	SLICK	MISC	USED / STOCK			40
DRILL COLLARS	6	2 3/8	SLICK	NC46	PREMIUM	6 - 6 1/8	SLIP/ELEV/HB	24
DRILL COLLARS	6 1/4	2 3/8	SLICK	NC46	PREMIUM	6 1/8 - 6 5/16		46
DRILL COLLARS	6 1/4	2 1/4	SLICK	NC46	NEW	6 1/4	SLIP	55
DRILL COLLARS	6 1/2	2 7/8	SPIRAL	NC46/NC50	PREMIUM	6 3/8 - 6 1/2		16
DRILL COLLARS	6 1/2	2 3/8	SLICK	NC46	PREMIUM	6 3/8 - 6 1/2		13
DRILL COLLARS	6 1/2	2 3/8	SPIRAL	NC46	PREMIUM	6 3/8 - 6 1/2		16
DRILL COLLARS	6 1/2	2 1/4	SLICK	NC46	NEW	6 1/2	SLIP	39
DRILL COLLARS	6 1/2	2 13/16	SLICK	BLANK	NEW	6 1/2		1
DRILL COLLARS	6 3/4	2 13/16	SPIRAL	4 1/2 IF	PREMIUM	6 3/4		9
DRILL COLLARS	6 3/4	2 13/16	SLICK	BLANK	NEW	6 3/4		29
DRILL COLLARS	6 7/8	2 3/8	SLICK	5 1/2 REG	PREMIUM	6 7/8		18
DRILL COLLARS	7	2 7/8	SPIRAL	NC50	PREMIUM	6 7/8 - 7 1/4		19



DRILL COLLARS	6 3/4 - 7 1/2	2 3/8 - 3	SLICK	MISC	USED / STOCK		30
DRILL COLLARS	7 1/4	2 13/16	SLICK	BLANK	NEW	7 1/4	10
DRILL COLLARS	8	2 7/8	SLICK	REG	PREMIUM	7 7/8 - 8	136
DRILL COLLARS	8	2 7/8	SPIRAL	REG	PREMIUM	7 7/8 - 8	9
DRILL COLLARS	8	2 13/16	SLICK	BLANK	NEW	8	20
DRILL COLLARS	8	2 13/16	SLICK	REG	NEW	8	10
DRILL COLLARS	8	2 13/16	SPIRAL	REG	NEW	8	17
DRILL COLLARS	8 1/4	2 7/8	SPIRAL	REG	PREMIUM	8 1/8 - 8 1/4	4
DRILL COLLARS	8 1/4	2 13/16	SLICK	BLANK	NEW		16
DRILL COLLARS	7 5/8 - 8 7/8	2 3/8 - 3	SLICK	MISC	USED / STOCK		16
DRILL COLLARS	9 1/2	3	SPIRAL	7 5/8" REG	USED	9 1/2 - 9 9/16	4
DRILL COLLARS	9 1/2	3	SLICK	BLANK	NEW	9 1/2	9
DRILL COLLARS	10	3	SLICK	8 5/8 REG	PREMIUM	10	4
DRILL COLLARS	10	5	SLICK	BLANK	NEW	10	4
DRILL COLLARS	11	6	SLICK	BLANK	NEW	11	4

TYPE	OD	STYLE	CONN	CLASS	OD RANGE	NOTES	QTY
HEAVY-WEIGHT	3 1/2	CONV	NC38	PREMIUM	4 5/8 - 4 7/8		14
HEAVY-WEIGHT	3 1/2	CONV	NC38	REMAN	4 7/8		30
							4 WEEKS
HEAVY-WEIGHT	4	CONV	XT39	NEW	4 7/8		238
HEAVY-WEIGHT	4 1/2	CONV	NC46	REMAN	6 3/8		28
HEAVY-WEIGHT	4 1/2	SPIRAL	NC46	REMAN	6 3/8		22
HEAVY-WEIGHT	4 1/2	CONV	DS40	REMAN	6 3/8		30
HEAVY-WEIGHT	5	CONV	NC50	PREMIUM	6 1/2 - 6 5/8		90
HEAVY-WEIGHT	5	CONV	NC50	REMAN	6 5/8		30
HEAVY-WEIGHT	5	CONV	NC50	NEW	6 5/8		29
HEAVY-WEIGHT	5	SPIRAL	NC50	REMAN	6 5/8		25
HEAVY-WEIGHT	5 1/2	CONV	FH	PREMIUM	7 1/8 - 7 1/2		118

TYPE	OD	STYLE	LENGTH	CLASS	PIN CONN	NOTES	QTY
KELLY	3 1/2	SQUARE	40	NEW	2 7/8 IF		1
KELLY	3 1/2	HEX	40	NEW	2 7/8 IF		1
KELLY	4 1/4	HEX	40	PREMIUM	3 1/2 IF	85%	1
KELLY	4 1/4	HEX	40	NEW	3 1/2 IF		2
KELLY	4 1/4	HEX	46	NEW	3 1/2 IF		3
KELLY	4 1/4	SQUARE	40	NEW	4 1/2 XH		1
KELLY	5 1/4	HEX	40	PREMIUM	4 1/2 XH	80%	1
KELLY	5 1/4	HEX	38	NEW	4 1/2 XH		1
KELLY	5 1/4	HEX	40	NEW	4 1/2 XH		7
KELLY	5 1/4	HEX	40	NEW	4 1/2 XH		3



KELLY	5 1/4	HEX	46	NEW	4 1/2 XH	3
-------	-------	-----	----	-----	----------	---

TYPE	OD	NECK	LENGTH	CLASS	QTY
STABILIZER BODY	8 1/2	6 3/4	76	NEW	8
STABILIZER BODY	10 5/8	8 1/4	85	NEW	5
STABILIZER BODY	12 1/4	8 1/4	100	NEW	19
STABILIZER BODY	14 3/4	9 1/2	105	NEW	3
STABILIZER BODY	16	9 1/2	100	NEW	1
STABILIZER BODY	16 3/8	9 1/2	105	NEW	2
STABILIZER BODY	17 1/2	9 1/2	100	NEW	4
STABILIZER BODY	26	9 1/2	116	NEW	5