



	A	B	C	D	E	F	G	H	I
1									
2	<b>TYPE</b>	<b>OD</b>	<b>WALL</b>	<b>GRADE</b>	<b>CONNS</b>	<b>CLASS</b>	<b>UPSET</b>	<b>LENGTH</b>	<b>QUANTITY</b>
3	SHORT DRILL ROD	2 7/8	.362	S135	DS 31	NEW	STANDARD	15'	89
4	SHORT DRILL ROD	3 1/2	.368	S135	DS 31	NEW	STANDARD	20'	89
5	SHORT DRILL ROD	3 1/2	.368	S135	FS1000	NEW	STANDARD	20'	147
6	SHORT DRILL ROD	4	.330	S135	DS40	NEW	5 1/4	20'	200
7	SHORT DRILL ROD	5	.362	S135	DS50	NEW	6 5/8	20'	155
8									
9	<b>TYPE</b>	<b>OD</b>	<b>ID</b>	<b>STYLE</b>	<b>CLASS</b>	<b>QUANTITY</b>			
10	NON MAG DC	4 3/4	2 1/4	SLICK	NEW	2			
11	NON MAG DC	4 3/4	2 11/16	SLICK	NEW	1			
12									
13	NON MAG DC	5	CHOICE	SLICK	NEW	1			
14									
15	NON MAG DC	5 7/8	2 13/16	SLICK	PREMIUM	3			
16	NON MAG DC	6	2 13/16	SLICK	PREMIUM	2			
17									
18	NON MAG DC	6 1/4	2 7/8	SLICK	PREMIUM	1			
19									
20	NON MAG DC	6 1/2	2 13/16	SLICK	PREMIUM	8			
21	NON MAG DC	6 1/2	2 13/16	SLICK	NEW	2			
22	NON MAG DC	6 1/2	3 1/4	SLICK	NEW	1			
23									
24	NON MAG DC	6 3/4	2 13/16	SLICK	NEW	5			
25	NON MAG DC	6 3/4	3 1/4	SLICK	NEW	2			
26									
27	NON MAG DC	7 1/4	2 13/16	SLICK	NEW	2			
28									
29	NON MAG DC	8	2 13/16	SLICK	NEW	6			
30	NON MAG DC	8	3 1/4	SLICK	NEW	6			
31									
32	NON MAG DC	8 1/4	2 13/16	SLICK	NEW	5			
33	NON MAG DC	8 1/4	3 1/4	SLICK	NEW	4			
34									
35	NON MAG DC	9 1/2	CHOICE	SLICK	NEW	4			
36									
37									
38									
39	<b>TYPE</b>	<b>SIZE</b>	<b>WEIGHT</b>	<b>GRADE</b>	<b>CONNS</b>	<b>CLASS</b>	<b>TJ DIM</b>	<b>NOTES</b>	<b>QUANTITY</b>
40									
41	31' DRILL PIPE	2 7/8	10.40	S135	PAC	PREMIUM	3 1/8		606
42	31' DRILL PIPE	2 7/8	10.40	S135	PAC	NEW	3 1/8		520
43									
44	31' DRILL PIPE	3 1/2	13.30	G105	NC38	UNUSED	5	PLAIN	243
45	31' DRILL PIPE	3 1/2	13.30	S135	NC38	PREMIUM	4 7/8 - 5	HB	2955
46	31' DRILL PIPE	3 1/2	13.30	S135	NC38	NEW	4 7/8		361
47	31' DRILL PIPE	3 1/2	15.50	G105	NC38	PREMIUM	4 7/8 - 5	HB/IPC	115
48	31' DRILL PIPE	3 1/2	15.50	S135	NC38	PREMIUM	5	HB/IPC	1814
49	31' DRILL PIPE	3 1/2	15.50	S135	NC38	NEW	5		240
50									
51	31' DRILL PIPE	4	14.00	S135	XT39	PREMIUM	4 13/16 - 4 7/8		322
52	31' DRILL PIPE	4	14.00	S135	HT38 OR DS38	PREMIUM	4 7/8	HB/IPC	812
53	31' DRILL PIPE	4	14.00	G105	FH	PREMIUM	5 1/8 - 5 1/4	HB/IPC	216
54	31' DRILL PIPE	4	14.00	S135	FH	PREMIUM	5 1/8 - 5 1/4	HB/IPC	563
55									
56	31' DRILL PIPE	4 1/2	16.60	S135	XTM40	PREMIUM	5 1/4 X 2 11/16	HB/IPC	1235
57	31' DRILL PIPE	4 1/2	20.00	S135	XTM40	PREMIUM	5 1/4 X 2 11/16	HB/IPC	489
58									
59	31' DRILL PIPE	4 1/2	16.60	X95	NC46	PREMIUM	5 7/8 - 6 1/8		164
60	31' DRILL PIPE	4 1/2	16.60	G105	NC46	PREMIUM	6 - 6 1/8	HB/IPC	315
61	31' DRILL PIPE	4 1/2	16.60	S135	NC46	PREMIUM	5 7/8 - 6 1/4	HB	806



	A	B	C	D	E	F	G	H	I
62	31' DRILL PIPE	4 1/2	20.00	X95	NC46	PREMIUM	6 - 6 1/4	HB	46
63	31' DRILL PIPE	4 1/2	20.00	G105	NC46	PREMIUM	5 7/8 - 5 15/16		79
64	31' DRILL PIPE	4 1/2	20.00	G105	NC46	PREMIUM	6 - 6 1/4		305
65	31' DRILL PIPE	4 1/2	16.60	G105	NC46	NEW USA	6 1/4	HB/IPC	3569
66	31' DRILL PIPE	4 1/2	16.60	S135	NC46	NEW USA	6 1/4	HB/IPC	323
67	31' DRILL PIPE	4 1/2	20.00	X95	NC46	NEW T.S.C.	6 1/4	HB/IPC	217
68									
69	RG3 DRILL PIPE	4 1/2	16.60	S135	NC46	NEW USA	6 1/4	RANGE 3 / HB/IPC	260
70	RG3 DRILL PIPE	4 1/2	16.60	S135	DEL425	LIKE NEW G.P.	5 1/4	RANGE 3 / HB	930
71									
72	31' DRILL PIPE	5	19.50	S135	XT50	DRILL N' LEAVE	6 1/2 X 3 3/4	DRILL N' LEAVE	320
73									
74	31' DRILL PIPE	5	19.50	G105	NC50	PREMIUM	6 1/2 - 6 5/8	HB/IPC	389
75	31' DRILL PIPE	5	19.50	G105	NC50	NEW	6 5/8		859
76	31' DRILL PIPE	5	19.50	S135	NC50	PREMIUM	6 1/2 - 6 5/8	HB/IPC	952
77	31' DRILL PIPE	5	25.60	S135	NC50	PREMIUM	6 7/16 - 6 5/8		73
78	31' DRILL PIPE	5	34.00	S135	NC50	PREMIUM	6 1/2 - 6 5/8	HB/IPC	154
79									
80	RG3 DRILL PIPE	5	19.50	S135	NC50	PREMIUM	6 1/2 - 6 5/8	RANGE 3 / HB/IPC	345
81									
82	31' DRILL PIPE	5 1/2	21.90	S135	FH	DRILL AND LEAVE	7 X 4		291
83	31' DRILL PIPE	5 1/2	21.90	S135	FH	UNUSED SURPLUS	7 1/4 X 3		302
84	31' DRILL PIPE	5 1/2	21.90	S135	HT55	PREMIUM	7 X 4		743
85	31' DRILL PIPE	5 1/2	21.90	S135	DS55	PREMIUM	7 X 3 3/4		233
86	31' DRILL PIPE	5 1/2	21.90	S135	DS55	NEW	7 1/2 X 3 1/2	APPX 8 WEEKS	250
87									
88									
89	31' DRILL PIPE	5 1/2	24.70	S135	HT55	PREMIUM	7 X 4		841
90	31' DRILL PIPE	5 1/2	24.70	S135	FH	PREMIUM	7 1/4 - 7 1/2 x 3		290
91	31' DRILL PIPE	5 1/2	24.70	S135	FH	PREMIUM	7 1/4 - 7 1/2 x 3 1/2		83
92	31' DRILL PIPE	5 1/2	24.70	S135	FH D.S.	PREMIUM	7 X 4		521
93	31' DRILL PIPE	5 1/2	24.70	S135	FH D.S.	NEW	7 1/2 X 3 1/2		141
94	31' DRILL PIPE	5 1/2	24.70	S135	FH	NEW	7 1/2 X 3 1/2		141
95									
96	31' DRILL PIPE	5 7/8	23.40 - 28.70	S135	CTM57	DRILL AND LEAVE	7 OD X 4 1/4 ID		205
97	31' DRILL PIPE	5 7/8	23.40	S135	CTM57	PREMIUM	7 OD X 4 1/4 ID		238
98	31' DRILL PIPE	5 7/8	35.00	S135	CTM57	PREMIUM	7 OD X 4 1/4 ID		312
99									
100	31' DRILL PIPE	5 7/8	23.40	S135	XT57	PREMIUM	7 OD X 4 1/4 ID		546
101	31' DRILL PIPE	5 7/8	26.30	S135	XT57	PREMIUM	7 OD X 4 1/4 ID		120
102	31' DRILL PIPE	5 7/8	41.05	S135	XT57	PREMIUM	7 OD X 4 1/4 ID		107
103									
104	31' DRILL PIPE	6 5/8	27.70	S135	5 1/2 FH D.S.	NEW	7 1/2 X 3 1/2	MAKE/BREAK	320
105	31' DRILL PIPE	6 5/8	34.01	S135	5 1/2 FH D.S.	NEW	7 1/2 X 3 1/2	4 WEEKS ARO	600
106									
107	31' DRILL PIPE	6 5/8	27.70	S135	6 5/8 FH	PREMIUM	8 X 5		56
108	31' DRILL PIPE	6 5/8	27.70	S135	6 5/8 FH	PREMIUM	8 3/8 - 8 1/2 X 4 1/4		708
109	31' DRILL PIPE	6 5/8	34.01	S135	6 5/8 FH	PREMIUM	8 3/8 - 8 1/2 X 4 1/4		264
110	31' DRILL PIPE	6 5/8	40.00	S135	6 5/8 FH	PREMIUM	8 1/4 - 8 1/2		204
111									
112	31' DRILL PIPE	6 5/8	27.70	S135	6 5/8 FH D.S.	NEW	8 1/2 X 4 1/2	4 WEEKS ARO	600
113	31' DRILL PIPE	6 5/8	34.01	S135	6 5/8 FH D.S.	NEW	8 1/2 X 4 1/4	MAKE/BREAK	199
114									
115	31' DRILL PIPE	7 5/8	33	S135	6 5/8 FH D.S.	NEW	8 1/4	3 MOS ARO	400
116									
117									
118									
119									
120	TYPE	OD	ID	STYLE	CONN	CLASS	OD RANGE	NOTES	QUANTITY
121	DRILL COLLARS	3 1/8	1 1/4	SPIRAL	2 3/8 REG	USED	3 1/16		15
122	DRILL COLLARS	3 1/8	1 1/2	SPIRAL	2 7/8 PAC	USED	3 1/16		32



	A	B	C	D	E	F	G	H	I
123	DRILL COLLARS	3 1/8	1 1/4	SLICK	2 3/8 PAC	NEW SURPLUS	3 1/8		15
124	DRILL COLLARS	3 1/8	1 1/2	SLICK	2 7/8 PAC	NEW	3 1/8		5
125	DRILL COLLARS	3 1/8	1 1/2	SLICK	BLANK	NEW	3 1/8		11
126									
127	DRILL COLLARS	3 1/2	1 1/2	SLICK	2 3/8 IF	USED	3 1/2		14
128	DRILL COLLARS	3 1/2	1 1/2	SLICK	2 3/8 IF	NEW	3 1/2		30
129									
130	DRILL COLLARS	4 1/8	2	SPIRAL	2 7/8 IF	PREMIUM	4 1/8	SLIP	25
131	DRILL COLLARS	4 1/8	2	SLICK	BLANK	NEW	4 1/8		19
132									
133	DRILL COLLARS	4 1/2	2	SPIRAL	3 1/2 XH	PREMIUM	4 1/2	SLIP/ELEV	8
134									
135	DRILL COLLARS	4 3/4	2	SLICK	BLANK	NEW	4 3/4		9
136	DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	PREMIUM	4 11/16 - 4 3/4	SLIP/ELEV	18
137	DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	PREMIUM	4 11/16 - 4 3/4	SLIP	26
138	DRILL COLLARS	4 3/4	2 1/4	SLICK	NC38	NEW	4 3/4	SLIP	62
139	DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	NEW	4 3/4	SLIP	99
140									
141	DRILL COLLARS	4 7/8	2 1/4	SPIRAL	3 1/2 IF	NEW	4 7/8		13
142	DRILL COLLARS	4 7/8	SOLID	SLICK	BLANK	NEW	4 7/8		4
143									
144	DRILL COLLARS	5 1/4	2 1/4 - 2 11/16	SLICK	BLANK	NEW	5 1/4		4
145									
146	DRILL COLLARS	5 1/2 - 6	2 3/8 - 2 5/8	SLICK	MISC	USED / STOCK			19
147									
148	DRILL COLLARS	6	2 3/8	SLICK	NC46	PREMIUM	6 - 6 1/8	SLIP/ELEV/HB	6
149	DRILL COLLARS	6 1/4	2 3/8	SLICK	NC46	PREMIUM	6 1/8 - 6 5/16		2
150	DRILL COLLARS	6 1/4	2 1/4	SLICK	NC46	NEW	6 1/4	SLIP	64
151									
152	DRILL COLLARS	6 1/2	2 7/8	SPIRAL	NC46/NC50	PREMIUM	6 3/8 - 6 1/2		16
153	DRILL COLLARS	6 1/2	2 3/8	SLICK	NC46	PREMIUM	6 3/8 - 6 1/2		29
154	DRILL COLLARS	6 1/2	2 3/8	SPIRAL	NC46	PREMIUM	6 3/8 - 6 1/2		18
155	DRILL COLLARS	6 1/2	2 1/4	SLICK	NC46	NEW	6 1/2	SLIP	58
156	DRILL COLLARS	6 1/2	2 13/16	SLICK	NC46/NC50	NEW	6 1/2		30
157	DRILL COLLARS	6 1/2	2 13/16	SLICK	NC50	NEW	6 1/2		10
158									
159	DRILL COLLARS	6 3/4	2 7/8	SPIRAL	NC50	USED	6 3/4		16
160	DRILL COLLARS	6 3/4	2 13/16	SLICK	BLANK	NEW	6 3/4		3
161	DRILL COLLARS	6 3/4	2 13/16	SLICK	NC50	NEW	6 3/4		14
162	DRILL COLLARS	6 3/4	2 13/16	SPIRAL	NC50	NEW	6 3/4		2
163									
164	DRILL COLLARS	6 7/8	2 3/8	SLICK	NC46	PREMIUM	6 7/8		18
165	DRILL COLLARS	7	2 7/8	SPIRAL	NC50	PREMIUM	6 7/8 - 7 1/4		19
166									
167	DRILL COLLARS	6 3/4 - 7 3/4	2 3/8 - 3 1/8	SLICK	MISC	USED / STOCK			50
168									
169	DRILL COLLARS	7	2 13/16	SLICK	BLANK	NEW	7	ETA DECEMBER '21	26
170									
171	DRILL COLLARS	7 1/4	2 13/16	SLICK	BLANK	NEW	7 1/4		2
172									
173	DRILL COLLARS	8	2 7/8	SLICK	REG	PREMIUM	7 7/8 - 8		136
174	DRILL COLLARS	8	2 7/8	SPIRAL	REG	PREMIUM	7 7/8 - 8		15
175	DRILL COLLARS	8	2 13/16	SLICK	BLANK	NEW	8		8
176	DRILL COLLARS	8	2 13/16	SLICK	REG	NEW	8	SLIP	51
177	DRILL COLLARS	8	2 13/16	SPIRAL	REG	NEW	8	SLIP	30
178	DRILL COLLARS	8	2 13/16	SPIRAL	REG	NEW	8	SLIP/ELEVATOR	42
179									
180	DRILL COLLARS	8 1/4	2 7/8	SPIRAL	REG	PREMIUM	8 1/8 - 8 1/4		6
181	DRILL COLLARS	8 1/4	2 7/8	SLICK	BLANK	NEW			13
182	DRILL COLLARS	8 1/4	2 7/8	SPIRAL	REG	NEW	8 1/8 - 8 1/4	W/ HB	7



	A	B	C	D	E	F	G	H	I
183									
184									
185	DRILL COLLARS	8 - 10	2 3/8 - 3 1/8	SLICK	MISC	USED / STOCK			50
186									
187	DRILL COLLARS	9 1/2	3	SLICK	MIXED	USED	9 1/4 - 9 3/4		11
188	DRILL COLLARS	9 1/2	3	SPIRAL	7 5/8 REG	USED	9 1/2 - 9 9/16		4
189	DRILL COLLARS	9 1/2	2 13/16	SLICK	BLANK	NEW	9 1/2		5
190	DRILL COLLARS	9 1/2	3	SLICK	BLANK	NEW	9 1/2		3
191	DRILL COLLARS	9 1/2	3	SPIRAL	7 5/8" REG	NEW	9 1/2	SLIP/ELEVATOR	11
192									
193	DRILL COLLARS	9 7/8	3	SLICK	8 5/8 REG	STOCK	10		6
194	DRILL COLLARS	9 7/8	3	WORN SPRL	8 5/8 REG	STOCK	10		1
195									
196	DRILL COLLARS	10	5	SLICK	BLANK	NEW	10	DECEMEBR '21	6
197	DRILL COLLARS	11	5 1/4	SLICK	BLANK	NEW	11		3
198									
199									
200									
	TYPE	OD	STYLE	CONN	CLASS	OD RANGE	NOTES	QTY	
201									
202	HEAVY-WEIGHT	3 1/2	CONV	NC38	PREMIUM	4 5/8 - 4 7/8		84	
203	HEAVY-WEIGHT	3 1/2	CONV	NC38	REMAN	4 7/8		30	4 WEEKS
204									
205	HEAVY-WEIGHT	4	CONV	XT39	PREMIUM	4 7/8		154	
206	HEAVY-WEIGHT	4	CONV	VX39	PREMIUM	4 7/8		55	
207									
208	HEAVY-WEIGHT	4 1/2	CONV	DEL425	NEW	5 1/4		50	
209									
210	HEAVY-WEIGHT	4 1/2	CONV	NC46	REMAN	6 3/8		28	
211	HEAVY-WEIGHT	4 1/2	SPIRAL	NC46	REMAN	6 3/8		22	
212	HEAVY-WEIGHT	4 1/2	CONV	DS40	REMAN	6 3/8		30	
213									
214	HEAVY-WEIGHT	5	CONV	NC50	PREMIUM	6 1/2 - 6 5/8		62	
215	HEAVY-WEIGHT	5	CONV	NC50	REMAN	6 5/8		30	
216	HEAVY-WEIGHT	5	CONV	NC50	NEW	6 5/8		29	
217	HEAVY-WEIGHT	5	SPIRAL	NC50	REMAN	6 5/8		25	
218									
219	HEAVY-WEIGHT	5 1/2	CONV	FH	PREMIUM	7 1/8 - 7 1/2		118	
220									
221	HEAVY-WEIGHT	5 7/8	CONV	XT57	PREMIUM	6 7/8 - 7		39	
222									
223	HEAVY-WEIGHT	6 5/8	CONV	FH	PREMIUM	8 1/4 - 8 1/2		24	
224									
225									
226									
227									
	TYPE	OD	STYLE	LENGTH	CLASS	PIN CONN	NOTES	QTY	
228									
229	KELLY	3 1/2	SQUARE	40	NEW	2 7/8 IF		1	
230	KELLY	3 1/2	HEX	40	NEW	2 7/8 IF		1	
231									
232	KELLY	4 1/4	HEX	40	PREMIUM	3 1/2 IF	85%	1	
233	KELLY	4 1/4	HEX	40	NEW	3 1/2 IF		2	
234	KELLY	4 1/4	HEX	46	NEW	3 1/2 IF		3	
235	KELLY	4 1/4	SQUARE	40	NEW	4 1/2 XH		1	
236									
237	KELLY	5 1/4	HEX	40	PREMIUM	4 1/2 XH	80%	1	
238	KELLY	5 1/4	HEX	38	NEW	4 1/2 XH		1	
239	KELLY	5 1/4	HEX	40	NEW	4 1/2 XH		7	
240	KELLY	5 1/4	HEX	40	NEW	4 1/2 XH		3	
241	KELLY	5 1/4	HEX	46	NEW	4 1/2 XH		3	
242									



	A	B	C	D	E	F	G	H	I
243									
244	<b>TYPE</b>	<b>OD</b>	<b>NECK</b>	<b>CLASS</b>	<b>QTY</b>				
245									
246	STABILIZER BODY	8 1/2	6 3/4	NEW	7				
247									
248	STABILIZER BODY	10 5/8	8 1/4	NEW	4				
249									
250	STABILIZER BODY	12 1/4	8 1/4	NEW	51				
251	STABILIZER BODY	12 1/4	9 1/2	NEW	6				
252									
253	STABILIZER BODY	14 3/4	8 1/4	NEW	2				
254	STABILIZER BODY	14 3/4	9 1/2	NEW	18				
255									
256	STABILIZER BODY	16	8 1/4	NEW	7				
257	STABILIZER BODY	16	9 1/2	NEW	16				
258									
259	STABILIZER BODY	16 3/8	9 1/2	NEW	12				
260									
261	STABILIZER BODY	17 1/2	8 1/4	NEW	25				
262	STABILIZER BODY	17 1/2	9 1/2	NEW	33				
263									
264	STABILIZER BODY	20	9 1/2	NEW	5				
265									
266	STABILIZER BODY	24	9 1/2	NEW	3				
267									
268	STABILIZER BODY	26	9 1/2	NEW	9				
269									
270	STABILIZER BODY	36	9 1/2	NEW	4				
271									
272									