



	A	B	C	D	E	F	G	H	I
1									
2									
3									
4	TYPE	SIZE	WEIGHT	GRADE	CONNS	CLASS	TJ DIM	NOTES	JOINTS
5									
6	31' DRILL PIPE	2 7/8	10.40	S135	PAC	PREMIUM	3 1/8		144
7									
8	31' DRILL PIPE	3 1/2	13.30	S135	NC38	PREMIUM	4 7/8 - 5	HB	1464
9	31' DRILL PIPE	3 1/2	15.50	G105	NC38	PREMIUM	4 7/8 - 5	HB/IPC	1993
10	31' DRILL PIPE	3 1/2	15.50	S135	NC38	PREMIUM	5	HB/IPC	1814
11									
12	31' DRILL PIPE	4	14.00	S135	XT39	PREMIUM	4 13/16 - 4 7/8		1141
13	31' DRILL PIPE	4	14.00	G105	FH	PREMIUM	5 1/8 - 5 1/4	HB/IPC	203
14	31' DRILL PIPE	4	14.00	S135	FH	PREMIUM	5 1/8 - 5 1/4	HB/IPC	729
15									
16	31' DRILL PIPE	4 1/2	16.60	X95	NC46	PREMIUM	5 7/8 - 6 1/8		164
17	31' DRILL PIPE	4 1/2	16.60	G105	NC46	PREMIUM	6 - 6 1/4	HB/IPC	676
18	31' DRILL PIPE	4 1/2	16.60	S135	NC46	PREMIUM	6 - 6 1/4	HB/IPC	3442
19	31' DRILL PIPE	4 1/2	20.00	X95	NC46	PREMIUM	6 - 6 1/4	HB	13
20	31' DRILL PIPE	4 1/2	20.00	G105	NC46	PREMIUM	5 7/8 - 5 15/16		79
21	31' DRILL PIPE	4 1/2	20.00	G105	NC46	PREMIUM	6 - 6 1/4		305
22	31' DRILL PIPE	4 1/2	16.60	G105	NC46	NEW	6 1/4	HB/IPC	478
23	31' DRILL PIPE	4 1/2	16.60	S135	NC46	NEW	6 1/4	HB/IPC	323
24	31' DRILL PIPE	4 1/2	20.00	X95	NC46	NEW	6 1/4	HB/IPC	153
25									
26	RG3 DRILL PIPE	4 1/2	16.60	G105	NC46	NEW	6 1/4	RANGE 3	118
27									
28	31' DRILL PIPE	5	19.50	S135	XT50	PREMIUM	6 1/2 X 3 3/4	DRILL & LEAVE	218
29									
30	20' DRILL ROD	5	.362W	S135	DS50	NEW	6 5/8	20' LONG	155
31	20' DRILL ROD	5	.362W	S135	NC50	NEW	6 5/8	20' LONG	155
32									
33	31' DRILL PIPE	5	19.50	G105	NC50	PREMIUM	6 1/2 - 6 5/8	HB/IPC	685
34	31' DRILL PIPE	5	19.50	S135	NC50	PREMIUM	6 1/2 - 6 5/8	HB/IPC	93
35	31' DRILL PIPE	5	25.60	S135	NC50	PREMIUM	6 7/16 - 6 5/8		73
36	31' DRILL PIPE	5	34.00	S135	NC50	PREMIUM	6 1/2 - 6 5/8	HB/IPC	89
37									
38	RG3 DRILL PIPE	5	19.50	S135	NC50	PREMIUM	6 1/2 - 6 5/8	RANGE 3 / HB/IPC	345
39									
40	31' DRILL PIPE	5 1/2	21.90	S135	DS55	PREMIUM	7 X 4		354
41	31' DRILL PIPE	5 1/2	21.90	S135	FH	PREMIUM	7 X 3 1/2		132
42	31' DRILL PIPE	5 1/2	21.90	S135	DS55	PREMIUM	7 X 3 1/2		118
43	31' DRILL PIPE	5 1/2	21.90	S135	HT55	PREMIUM	7 X 4		251
44									
45	31' DRILL PIPE	5 1/2	24.70	S135	HT55	PREMIUM	7 X 4	DRILL & LEAVE	77
46	31' DRILL PIPE	5 1/2	24.70	S135	FH	PREMIUM	7 1/4 - 7 1/2 x 3		175
47	31' DRILL PIPE	5 1/2	24.70	S135	FH	PREMIUM	7 1/4 - 7 1/2 x 3 1/2		207
48	31' DRILL PIPE	5 1/2	24.70	S135	DS55	NEW	7 1/2 X 3 1/2		141
49	31' DRILL PIPE	5 1/2	24.70	S135	FH	NEW	7 1/2 X 3 1/2		141
50									
51	31' DRILL PIPE	5 7/8	MIXED	S135	CTM57	PREMIUM	7 OD X 4 1/4 ID	DRILL & LEAVE	236
52	31' DRILL PIPE	5 7/8	23.40	S135	CTM57	PREMIUM	7 OD X 4 1/4 ID		284
53	31' DRILL PIPE	5 7/8	28.70	S135	CTM57	PREMIUM	7 OD X 4 1/4 ID		144
54									
55	31' DRILL PIPE	5 7/8	23.40	S135	XT57	PREMIUM	7 OD X 4 1/4 ID		290
56	31' DRILL PIPE	5 7/8	26.30	S135	XT57	PREMIUM	7 OD X 4 1/4 ID		46
57									
58	31' DRILL PIPE	6 5/8	27.70	S135	5 1/2 FH D.S.	NEW	7 1/2 X 3 1/2	MAKE/BREAK	320
59									



	A	B	C	D	E	F	G	H	I
60	31' DRILL PIPE	6 5/8	27.70	S135	6 5/8 FH	PREMIUM	8 X 5	DRILL & LEAVE	31
61	31' DRILL PIPE	6 5/8	27.70	S135	6 5/8 FH	PREMIUM	8 1/4 - 8 1/2 X 4 1/4		67
62	31' DRILL PIPE	6 5/8	34.01	S135	6 5/8 FH	PREMIUM	8 3/8 - 8 1/2 X 4 1/4		365
63	31' DRILL PIPE	6 5/8	40.00	S135	6 5/8 FH	PREMIUM	8 3/8 - 8 1/2 X 4 1/4		140
64									
65									
66	TYPE	OD	ID	STYLE	CLASS	QUANTITY			
67	NON MAG DC	4 3/4	2 1/4	SLICK	NEW	1			
68	NON MAG DC	4 3/4	2 11/16	SLICK	NEW	1			
69									
70	NON MAG DC	5	CHOICE	SLICK	NEW	1			
71									
72	NON MAG DC	5 7/8	2 13/16	SLICK	PREMIUM	3			
73	NON MAG DC	6	2 13/16	SLICK	PREMIUM	2			
74									
75	NON MAG DC	6 1/4	2 7/8	SLICK	PREMIUM	1			
76									
77	NON MAG DC	6 1/2	2 13/16	SLICK	PREMIUM	5			
78	NON MAG DC	6 1/2	2 13/16	SLICK	NEW	1			
79	NON MAG DC	6 1/2	3 1/4	SLICK	NEW	1			
80									
81	NON MAG DC	6 3/4	2 13/16	SLICK	NEW	1			
82	NON MAG DC	6 3/4	3 1/4	SLICK	NEW	1			
83									
84	NON MAG DC	7 1/4	2 13/16	SLICK	NEW	1			
85									
86	NON MAG DC	8	2 13/16	SLICK	NEW	1			
87	NON MAG DC	8	3 1/4	SLICK	NEW	1			
88									
89	NON MAG DC	8 1/4	2 13/16	SLICK	NEW	1			
90	NON MAG DC	8 1/4	3 1/4	SLICK	NEW	1			
91									
92	NON MAG DC	9 1/2	CHOICE	SLICK	NEW	1			
93									
94									
95									
96	TYPE	OD	ID	STYLE	CONN	CLASS	OD RANGE	NOTES	JOINTS
97	DRILL COLLARS	3 1/8	1 1/4	SPIRAL	2 3/8 REG	USED	3 1/16		15
98	DRILL COLLARS	3 1/8	1 1/2	SPIRAL	2 7/8 PAC	USED	3 1/16		32
99	DRILL COLLARS	3 1/8	1 1/4	SLICK	2 3/8 PAC	NEW	3 1/8		4
100	DRILL COLLARS	3 1/8	1 1/4	SLICK	2 3/8 REG	NEW	3 1/8		3
101	DRILL COLLARS	3 1/8	1 1/2	SLICK	2 7/8 PAC	NEW	3 1/8	SEPT 2022	36
102									
103	DRILL COLLARS	3 1/2	1 1/2	SLICK	2 3/8 REG	NEW	3 1/8	FEB 2023	53
104									
105	DRILL COLLARS	4 1/8	2	SLICK	2 7/8 IF	UNUSED	4 1/8		60
106	DRILL COLLARS	4 1/8	2	SLICK	BLANK	NEW	4 1/8		9
107									
108	DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	PREMIUM	4 3/4	USER FRIENDLY	18
109	DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	PREMIUM	4 5/8 - 4 3/4	SLIP	15
110	DRILL COLLARS	4 3/4	2 1/4	SLICK	NC38	NEW	4 3/4	FEB 2023	30
111	DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	NEW	4 3/4	SLIP/ELEVATOR	19
112	DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	NEW	4 3/4	SLIP	14
113									
114	DRILL COLLARS	4 7/8	2 1/4	SLICK	3 1/2 IF	PREMIUM	4 7/8		90
115	DRILL COLLARS	4 7/8	2 1/4	SPIRAL	3 1/2 IF	PREMIUM	4 7/8		17
116	DRILL COLLARS	4 7/8	2 1/4	SPIRAL	3 1/2 IF	NEW	4 7/8		13
117									
118	DRILL COLLARS	5 1/2 - 6	2 3/8 - 2 5/8	SLICK	MISC	USED / STOCK			29



	A	B	C	D	E	F	G	H	I
119									
120	DRILL COLLARS	5 1/2	1 1/2	SLICK	BLANK	NEW	5 1/2	20' +/- RANDOMS	10
121									
122	DRILL COLLARS	6	2 3/8	SLICK	NC46	PREMIUM	6 - 6 1/8		46
123	DRILL COLLARS	6	2 1/4	SLICK	BLANK	NEW	6		3
124	DRILL COLLARS	6	1 1/2	SLICK	BLANK	NEW	6		1
125	DRILL COLLARS	6 1/4	2 3/8	SLICK	NC46	PREMIUM	6 1/8 - 6 5/16		25
126	DRILL COLLARS	6 1/4	2 1/4	SLICK	BLANK/NC46	NEW	6 1/4		54
127	DRILL COLLARS	6 1/4	2 1/4	SPIRAL	NC46	NEW	6 1/4		18
128									
129	DRILL COLLARS	6 1/2	2 7/8	SPIRAL	NC46/NC50	PREMIUM	6 3/8 - 6 1/2		14
130	DRILL COLLARS	6 1/2	2 3/8	SLICK	NC46	PREMIUM	6 3/8 - 6 1/2		34
131	DRILL COLLARS	6 1/2	2 3/8	SPIRAL	NC46	PREMIUM	6 3/8 - 6 1/2		15
132	DRILL COLLARS	6 1/2	2 1/4	SLICK	NC46	NEW	6 1/2	SLIP	37
133	DRILL COLLARS	6 1/2	2 13/16	SLICK	NC46/NC50	NEW	6 1/2		30
134	DRILL COLLARS	6 1/2	2 13/16	SLICK	NC50	NEW	6 1/2		5
135									
136	DRILL COLLARS	6 3/4	2 7/8	SPIRAL	NC50	USED	6 3/4		16
137	DRILL COLLARS	6 3/4	2 13/16	SLICK	BLANK	NEW	6 3/4	130 MIN YIELD	4
138	DRILL COLLARS	6 3/4	2 13/16	SPIRAL	NC50	NEW	6 3/4		2
139									
140	DRILL COLLARS	6 7/8	2 3/8	SLICK	NC46	PREMIUM	6 7/8		18
141	DRILL COLLARS	7	2 7/8	SPIRAL	NC50	PREMIUM	6 7/8 - 7 1/4		19
142									
143	DRILL COLLARS	6 3/4 - 7 3/4	2 3/8 - 3 1/8	SLICK	MISC	USED / STOCK			50
144									
145	DRILL COLLARS	7 3/4	2 7/8	SLICK	REG	PREMIUM	7 1/2 - 7 13/16		51
146	DRILL COLLARS	8	2 7/8	SLICK	REG	PREMIUM	7 7/8 - 8		21
147	DRILL COLLARS	8	2 7/8	SPIRAL	REG	PREMIUM	7 7/8 - 8		15
148	DRILL COLLARS	8	2 13/16	SLICK	NC56	NEW	8		24
149	DRILL COLLARS	8	2 13/16	SLICK	REG	NEW	8	SLIP	18
150	DRILL COLLARS	8	2 13/16	SPIRAL	REG	NEW	8	SLIP	9
151	DRILL COLLARS	8	2 13/16	SPIRAL	REG	NEW	8	SLIP/ELEVATOR	42
152									
153	DRILL COLLARS	8 1/4	2 13/16	SLICK	REG	NEW	8 1/4	FEB 2023	9
154									
155	DRILL COLLARS	8 1/2	2 7/8	SPIRAL	REG	PREMIUM	8 1/2	W/ HB	6
156									
157	DRILL COLLARS	8 - 10	2 3/8 - 3 1/8	SLICK	MISC	USED / STOCK			50
158									
159	DRILL COLLARS	9 1/2	3	SPIRAL	7 5/8 REG	USED	9 3/8 - 9 5/8		9
160	DRILL COLLARS	9 1/2	3	SLICK	7 5/8" REG	NEW	9 1/2		6
161	DRILL COLLARS	9 1/2	2 13/16	SPIRAL	7 5/8" REG	NEW	9 1/2	SLIP/ELEVATOR	11
162									
163	DRILL COLLARS	10	3 - 3 1/4	SPIRAL	7 5/8" REG	PREMIUM	10	SLIP	17
164									
165	DRILL COLLARS	10 1/2	CHOICE/ANY	SLICK	BLANK	NEW	10 1/2	16' - 21' LENGTHS	8
166									
167	DRILL COLLARS	12	CHOICE/ANY	SLICK	BLANK	NEW	12	18' L	1
168	DRILL COLLARS	14	CHOICE/ANY	SLICK	BLANK	NEW	14	15' L	1
169	DRILL COLLARS	17	CHOICE/ANY	SLICK	BLANK	NEW	17	19' L	4
170	DRILL COLLARS	19	CHOICE/ANY	SLICK	BLANK	NEW	19	14' L	1
171									
172	TYPE	OD	STYLE	CONN	CLASS	OD RANGE	NOTES	QTY	
173	HEAVY-WEIGHT	3 1/2	CONV	NC38	PREMIUM	4 5/8 - 4 7/8		67	
174	HEAVY-WEIGHT	3 1/2	SPIRAL	NC38	PREMIUM	4 7/8		77	
175									
176	HEAVY-WEIGHT	4	CONV	XT39	PREMIUM	4 7/8		52	
177	HEAVY-WEIGHT	4	CONV	XT39	NEW	4 7/8		85	



	A	B	C	D	E	F	G	H	I
178	HEAVY-WEIGHT	4	CONV	VX39	PREMIUM	4 7/8		55	
179									
180	HEAVY-WEIGHT	4 1/2	CONV	NC46	REMAN	6 3/8		28	
181	HEAVY-WEIGHT	4 1/2	SPIRAL	NC46	REMAN	6 3/8		22	
182									
183	HEAVY-WEIGHT	5	CONV	NC50	PREMIUM	6 1/2 - 6 5/8		31	
184	HEAVY-WEIGHT	5	CONV	NC50	REMAN	6 5/8		30	
185	HEAVY-WEIGHT	5	CONV	NC50	NEW	6 5/8		38	
186	HEAVY-WEIGHT	5	SPIRAL	NC50	REMAN	6 5/8		25	
187									
188	HEAVY-WEIGHT	5 1/2	CONV	DS55	PREMIUM	6 15/16 - 7		73	
189	HEAVY-WEIGHT	5 1/2	CONV	FH	PREMIUM	7 1/8 - 7 1/2		118	
190									
191	HEAVY-WEIGHT	5 7/8	CONV	XT57	PREMIUM	6 7/8 - 7		39	
192									
193	HEAVY-WEIGHT	6 5/8	CONV	FH	PREMIUM	8 1/4 - 8 1/2		24	
194									
195									
196									
197									
198	TYPE	OD	STYLE	LENGTH	CLASS	PIN CONN	NOTES	QTY	
199	KELLY	3 1/2	SQUARE	40	NEW	2 7/8 IF		1	
200	KELLY	3 1/2	HEX	40	NEW	2 7/8 IF		1	
201									
202	KELLY	4 1/4	HEX	40	PREMIUM	3 1/2 IF	85%	1	
203	KELLY	4 1/4	HEX	40	NEW	3 1/2 IF		2	
204	KELLY	4 1/4	HEX	46	NEW	3 1/2 IF		3	
205	KELLY	4 1/4	SQUARE	40	NEW	4 1/2 XH		1	
206									
207	KELLY	5 1/4	HEX	40	PREMIUM	4 1/2 XH	80%	1	
208	KELLY	5 1/4	HEX	38	NEW	4 1/2 XH		1	
209	KELLY	5 1/4	HEX	40	NEW	4 1/2 XH		7	
210	KELLY	5 1/4	HEX	40	NEW	4 1/2 XH		3	
211	KELLY	5 1/4	HEX	46	NEW	4 1/2 XH		3	
212									
213	KELLY	6	SQUARE	40	PREMIUM	4 1/2 IF		2	
214									
215									
216	TYPE	OD	NECK	CLASS	QTY				
217									
218	STABILIZER BODY	8 1/2	6 3/4	NEW	7				
219									
220	STABILIZER BODY	10 5/8	8 1/4	NEW	4				
221									
222	STABILIZER BODY	12 1/4	8 1/4	NEW	18				
223	STABILIZER BODY	12 1/4	9 1/2	NEW	12				
224									
225	STABILIZER BODY	14 3/4	9 1/2	NEW	2				
226									
227	STABILIZER BODY	16	8 1/4	NEW	4				
228	STABILIZER BODY	16	9 1/2	NEW	8				
229									
230	STABILIZER BODY	16 3/8	9 1/2	NEW	12				
231									
232	STABILIZER BODY	17 1/2	8 1/4	NEW	13				
233	STABILIZER BODY	17 1/2	9 1/2	NEW	16				
234									
235	STABILIZER BODY	20	9 1/2	NEW	2				
236									



	A	B	C	D	E	F	G	H	I
237	STABILIZER BODY	24	9 1/2	NEW	2				
238									
239	STABILIZER BODY	26	9 1/2	NEW	11				
240									
241	SPIRALED STAB BODY	36	9 1/2	NEW	1				
242									
243									