



| TYPE           | SIZE  | WEIGHT | GRADE | CONNS         | CLASS       | TJ DIM                 | NOTES            | JOINTS |
|----------------|-------|--------|-------|---------------|-------------|------------------------|------------------|--------|
| 31' DRILL PIPE | 3 1/2 | 13.30  | S135  | NC38          | PREMIUM     | 4 7/8 - 5              | HB               | 658    |
| 31' DRILL PIPE | 3 1/2 | 15.50  | G105  | NC38          | PREMIUM     | 4 7/8 - 5              | HB/IPC           | 965    |
| 31' DRILL PIPE | 3 1/2 | 15.50  | S135  | NC38          | PREMIUM     | 5                      | HB/IPC           | 821    |
| 31' DRILL PIPE | 4     | 14.00  | S135  | XT39          | PREMIUM     | 4 13/16 - 4 7/8        |                  | 905    |
| 31' DRILL PIPE | 4     | 14.00  | G105  | FH            | PREMIUM     | 5 1/8 - 5 1/4          | HB/IPC           | 203    |
| 31' DRILL PIPE | 4     | 14.00  | S135  | FH            | PREMIUM     | 5 1/8 - 5 1/4          | HB/IPC           | 364    |
| 31' DRILL PIPE | 4 1/2 | 16.60  | X95   | NC46          | PREMIUM     | 5 7/8 - 6 1/8          |                  | 164    |
| 31' DRILL PIPE | 4 1/2 | 16.60  | G105  | NC46          | PREMIUM     | 6 - 6 1/4              | HB/IPC           | 676    |
| 31' DRILL PIPE | 4 1/2 | 16.60  | S135  | NC46          | PREMIUM     | 6 - 6 1/4              | HB/IPC           | 190    |
| 31' DRILL PIPE | 4 1/2 | 20.00  | X95   | NC46          | PREMIUM     | 6 - 6 1/4              | HB               | 13     |
| 31' DRILL PIPE | 4 1/2 | 20.00  | G105  | NC46          | PREMIUM     | 5 7/8 - 5 15/16        |                  | 79     |
| 31' DRILL PIPE | 4 1/2 | 20.00  | G105  | NC46          | PREMIUM     | 6 - 6 1/4              |                  | 305    |
| 31' DRILL PIPE | 4 1/2 | 16.60  | G105  | NC46          | NEW         | 6 1/4                  | HB/IPC           | 478    |
| 31' DRILL PIPE | 4 1/2 | 16.60  | S135  | NC46          | NEW         | 6 1/4                  | HB/IPC           | 323    |
| 31' DRILL PIPE | 4 1/2 | 20.00  | X95   | NC46          | NEW         | 6 1/4                  | HB/IPC           | 153    |
| RG3 DRILL PIPE | 4 1/2 | 16.60  | G105  | NC46          | NEW         | 6 1/4                  | RANGE 3          | 118    |
| 31' DRILL PIPE | 5     | 19.50  | S135  | XT50          | PREMIUM     | 6 1/2 X 3 3/4          | DRILL & LEAVE    | 162    |
| 20' DRILL ROD  | 5     | .362W  | S135  | DS50          | NEW         | 6 5/8                  | 20' LONG         | 44     |
| 20' DRILL ROD  | 5     | .362W  | S135  | NC50          | NEW         | 6 5/8                  | 20' LONG         | 44     |
| 31' DRILL PIPE | 5     | 19.50  | G105  | NC50          | PREMIUM     | 6 1/2 - 6 5/8          | HB/IPC           | 319    |
| 31' DRILL PIPE | 5     | 19.50  | S135  | NC50          | PREMIUM     | 6 1/2 - 6 5/8          | HB/IPC           | 286    |
| 31' DRILL PIPE | 5     | 25.60  | S135  | NC50          | PREMIUM     | 6 7/16 - 6 5/8         |                  | 73     |
| 31' DRILL PIPE | 5     | 34.00  | S135  | NC50          | PREMIUM     | 6 1/2 - 6 5/8          | HB/IPC           | 89     |
| RG3 DRILL PIPE | 5     | 19.50  | S135  | NC50          | PREMIUM     | 6 1/2 - 6 5/8          | RANGE 3 / HB/IPC | 346    |
| 31' DRILL PIPE | 5 1/2 | 21.90  | S135  | DS55          | PREMIUM     | 7 X 3 1/2              |                  | 967    |
| 31' DRILL PIPE | 5 1/2 | 21.90  | S135  | DS55          | PREMIUM     | 7 X 4                  |                  | 935    |
| 31' DRILL PIPE | 5 1/2 | 21.90  | S135  | FH            | PREMIUM     | 7 X 3 1/2              |                  | 132    |
| 31' DRILL PIPE | 5 1/2 | 21.90  | S135  | FH (OR) DS55  | PREMIUM     | 7 1/16 - 7 1/4 x 3 1/2 |                  | 217    |
| 31' DRILL PIPE | 5 1/2 | 21.90  | S135  | HT55          | PREMIUM     | 7 X 4                  |                  | 251    |
| 31' DRILL PIPE | 5 1/2 | 21.90  | S135  | DELTA544      | YELLOW BAND | 6 5/8 X 4              | DRILL & LEAVE    | 482    |
| 31' DRILL PIPE | 5 1/2 | 24.70  | S135  | HT55          | PREMIUM     | 7 X 4                  | DRILL & LEAVE    | 77     |
| 31' DRILL PIPE | 5 1/2 | 24.70  | S135  | FH            | PREMIUM     | 7 1/4 - 7 1/2 x 3      |                  | 108    |
| 31' DRILL PIPE | 5 1/2 | 24.70  | S135  | FH            | PREMIUM     | 7 1/4 - 7 1/2 x 3 1/2  |                  | 30     |
| 31' DRILL PIPE | 5 1/2 | 24.70  | S135  | DS55          | NEW         | 7 1/2 X 3 1/2          |                  | 141    |
| 31' DRILL PIPE | 5 1/2 | 24.70  | S135  | FH            | NEW         | 7 1/2 X 3 1/2          |                  | 141    |
| 31' DRILL PIPE | 5 7/8 | MIXED  | S135  | CTM57         | PREMIUM     | 7 OD X 4 1/4 ID        | DRILL & LEAVE    | 199    |
| 31' DRILL PIPE | 5 7/8 | 23.40  | S135  | CTM57         | PREMIUM     | 7 OD X 4 1/4 ID        |                  | 234    |
| 31' DRILL PIPE | 5 7/8 | 28.70  | S135  | CTM57         | PREMIUM     | 7 OD X 4 1/4 ID        |                  | 144    |
| 31' DRILL PIPE | 5 7/8 | 23.40  | S135  | XT57          | PREMIUM     | 7 OD X 4 1/4 ID        | DRILL & LEAVE    | 71     |
| 31' DRILL PIPE | 5 7/8 | 23.40  | S135  | XT57          | PREMIUM     | 7 OD X 4 1/4 ID        |                  | 492    |
| 31' DRILL PIPE | 5 7/8 | 26.30  | S135  | XT57          | PREMIUM     | 7 OD X 4 1/4 ID        |                  | 46     |
| 31' DRILL PIPE | 6 5/8 | 27.70  | S135  | 5 1/2 FH D.S. | NEW         | 7 1/2 X 3 1/2          | MAKE/BREAK       | 80     |
| 31' DRILL PIPE | 6 5/8 | 27.70  | S135  | 6 5/8 FH      | PREMIUM     | 8 1/2 X 4 1/4          |                  | 229    |
| 31' DRILL PIPE | 6 5/8 | 27.70  | S135  | 6 5/8 FH      | PREMIUM     | 8 1/2 X 4 1/4          |                  | 93     |
| 31' DRILL PIPE | 6 5/8 | 27.70  | S135  | 6 5/8 FH      | PREMIUM     | 8 X 5                  | DRILL & LEAVE    | 31     |



| TYPE          | OD            | ID            | STYLE  | CONN       | CLASS        | OD RANGE        | NOTES           | JOINTS |
|---------------|---------------|---------------|--------|------------|--------------|-----------------|-----------------|--------|
| DRILL COLLARS | 3 1/8         | 1 1/4         | SPIRAL | 2 3/8 REG  | USED         | 3 1/16          |                 | 15     |
| DRILL COLLARS | 3 1/8         | 1 1/2         | SPIRAL | 2 7/8 PAC  | USED         | 3 1/16          |                 | 32     |
| DRILL COLLARS | 3 1/8         | 1 1/4         | SLICK  | 2 3/8 PAC  | NEW          | 3 1/8           |                 | 4      |
| DRILL COLLARS | 3 1/8         | 1 1/4         | SLICK  | 2 7/8 PAC  | NEW          | 3 1/8           |                 | 14     |
| DRILL COLLARS | 3 1/8         | 1 1/4         | SLICK  | 2 3/8 REG  | NEW          | 3 1/8           |                 | 3      |
| DRILL COLLARS | 3 1/8         | 1 1/2         | SLICK  | 2 7/8 PAC  | NEW          | 3 1/8           |                 | 36     |
| DRILL COLLARS | 3 1/2         | 1 1/2         | SLICK  | 2 3/8 IF   | NEW          | 3 1/8           | FEB 2023        | 31     |
| DRILL COLLARS | 4 1/8         | 2             | SLICK  | 2 7/8 IF   | UNUSED       | 4 1/8           |                 | 24     |
| DRILL COLLARS | 4 1/8         | 2             | SLICK  | BLANK      | NEW          | 4 1/8           |                 | 8      |
| DRILL COLLARS | 4 3/4         | 2 1/4         | SPIRAL | NC38       | PREMIUM      | 4 3/4           | USER FRIENDLY   | 18     |
| DRILL COLLARS | 4 3/4         | 2 1/4         | SPIRAL | NC38       | PREMIUM      | 4 5/8 - 4 3/4   | SLIP            | 15     |
| DRILL COLLARS | 4 3/4         | 2 1/4         | SLICK  | NC38       | NEW          | 4 3/4           |                 | 26     |
| DRILL COLLARS | 4 3/4         | 2 1/4         | SPIRAL | NC38       | NEW          | 4 3/4           | SLIP/ELEVATOR   | 19     |
| DRILL COLLARS | 4 3/4         | 2 1/4         | SPIRAL | NC38       | NEW          | 4 3/4           | SLIP            | 26     |
| DRILL COLLARS | 4 7/8         | 2 1/4         | SLICK  | 3 1/2 IF   | PREMIUM      | 4 7/8           |                 | 49     |
| DRILL COLLARS | 4 7/8         | 2 1/4         | SPIRAL | 3 1/2 IF   | PREMIUM      | 4 7/8           |                 | 17     |
| DRILL COLLARS | 4 7/8         | 2 1/4         | SPIRAL | 3 1/2 IF   | NEW          | 4 7/8           |                 | 13     |
| DRILL COLLARS | 5 1/2 - 6     | 2 3/8 - 2 5/8 | SLICK  | MISC       | USED / STOCK |                 |                 | 29     |
| DRILL COLLARS | 5 1/2         | 1 1/2         | SLICK  | BLANK      | NEW          | 5 1/2           | 20' +/- RANDOMS | 10     |
| DRILL COLLARS | 6             | 2 3/8         | SLICK  | NC46       | PREMIUM      | 6 - 6 1/8       |                 | 46     |
| DRILL COLLARS | 6             | 2 1/4         | SLICK  | BLANK      | NEW          | 6               |                 | 3      |
| DRILL COLLARS | 6             | 1 1/2         | SLICK  | BLANK      | NEW          | 6               |                 | 1      |
| DRILL COLLARS | 6 1/4         | 2 3/8         | SLICK  | NC46       | PREMIUM      | 6 1/8 - 6 5/16  |                 | 25     |
| DRILL COLLARS | 6 1/4         | 2 1/4         | SLICK  | BLANK/NC46 | NEW          | 6 1/4           |                 | 48     |
| DRILL COLLARS | 6 1/4         | 2 1/4         | SPIRAL | NC46       | NEW          | 6 1/4           |                 | 18     |
| DRILL COLLARS | 6 1/2         | 2 7/8         | SPIRAL | NC46/NC50  | PREMIUM      | 6 3/8 - 6 1/2   |                 | 14     |
| DRILL COLLARS | 6 1/2         | 2 3/8         | SLICK  | NC46       | PREMIUM      | 6 3/8 - 6 1/2   |                 | 34     |
| DRILL COLLARS | 6 1/2         | 2 3/8         | SPIRAL | NC46       | PREMIUM      | 6 3/8 - 6 1/2   |                 | 15     |
| DRILL COLLARS | 6 1/2         | 2 1/4         | SLICK  | NC46       | NEW          | 6 1/2           | SLIP            | 474    |
| DRILL COLLARS | 6 1/2         | 2 13/16       | SLICK  | NC46/NC50  | NEW          | 6 1/2           |                 | 28     |
| DRILL COLLARS | 6 1/2         | 2 13/16       | SPIRAL | NC46       | NEW          | 6 1/2           |                 | 46     |
| DRILL COLLARS | 6 3/4         | 2 7/8         | SPIRAL | NC50       | USED         | 6 3/4 - 7 1/4   |                 | 16     |
| DRILL COLLARS | 6 3/4         | 2 13/16       | SLICK  | NC50       | NEW          | 6 3/4           |                 | 11     |
| DRILL COLLARS | 6 3/4         | 2 13/16       | SLICK  | BLANK      | NEW          | 6 3/4           | 130 MIN YIELD   | 14     |
| DRILL COLLARS | 6 3/4         | 2 13/16       | SPIRAL | NC50       | NEW          | 6 3/4           |                 | 2      |
| DRILL COLLARS | 6 7/8         | 2 3/8         | SLICK  | NC46       | PREMIUM      | 6 7/8           |                 | 18     |
| DRILL COLLARS | 7             | 2 7/8         | SPIRAL | NC50       | PREMIUM      | 6 7/8 - 7 1/4   |                 | 19     |
| DRILL COLLARS | 6 3/4 - 7 3/4 | 2 3/8 - 3 1/8 | SLICK  | MISC       | USED / STOCK |                 |                 | 50     |
| DRILL COLLARS | 7 3/4         | 2 7/8         | SLICK  | REG        | PREMIUM      | 7 1/2 - 7 13/16 |                 | 51     |
| DRILL COLLARS | 8             | 2 7/8         | SLICK  | REG        | PREMIUM      | 7 7/8 - 8       |                 | 12     |
| DRILL COLLARS | 8             | 2 7/8         | SPIRAL | REG        | PREMIUM      | 7 7/8 - 8       |                 | 10     |



|               |        |               |        |            |              |               |                   |    |
|---------------|--------|---------------|--------|------------|--------------|---------------|-------------------|----|
| DRILL COLLARS | 8      | 2 13/16       | SLICK  | NC56       | NEW          | 8             |                   | 13 |
| DRILL COLLARS | 8      | 2 13/16       | SPIRAL | REG        | NEW          | 8             | SLIP              | 7  |
| DRILL COLLARS | 8      | 2 13/16       | SPIRAL | REG        | NEW          | 8             | SLIP/ELEVATOR     | 30 |
| DRILL COLLARS | 8 1/4  | 2 13/16       | SLICK  | REG        | NEW          | 8 1/4         | FEB 2023          | 9  |
| DRILL COLLARS | 8 1/2  | 2 7/8         | SPIRAL | REG        | PREMIUM      | 8 1/2         | W/ HB             | 6  |
| DRILL COLLARS | 8 - 10 | 2 3/8 - 3 1/8 | SLICK  | MISC       | USED / STOCK |               |                   | 50 |
| DRILL COLLARS | 9 1/2  | 3             | SPIRAL | 7 5/8 REG  | USED         | 9 3/8 - 9 5/8 |                   | 28 |
| DRILL COLLARS | 9 1/2  | 3             | SLICK  | 7 5/8 REG  | USED         | 9 3/8 - 9 5/8 |                   | 22 |
| DRILL COLLARS | 9 1/2  | 3             | SLICK  | 7 5/8" REG | NEW          | 9 1/2         |                   | 2  |
| DRILL COLLARS | 9 1/2  | 2 13/16       | SLICK  | 7 5/8" REG | NEW          | 9 1/2         |                   | 6  |
| DRILL COLLARS | 9 1/2  | 2 13/16       | SPIRAL | 7 5/8" REG | NEW          | 9 1/2         | SLIP/ELEVATOR     | 11 |
| DRILL COLLARS | 10     | 3 - 3 1/4     | SPIRAL | 7 5/8" REG | PREMIUM      | 10            | SLIP              | 17 |
| DRILL COLLARS | 10 1/2 | CHOICE/ANY    | SLICK  | BLANK      | NEW          | 10 1/2        | 16' - 21' LENGTHS | 8  |
| DRILL COLLARS | 12     | CHOICE/ANY    | SLICK  | BLANK      | NEW          | 12            | 18' L             | 1  |
| DRILL COLLARS | 14     | CHOICE/ANY    | SLICK  | BLANK      | NEW          | 14            | 15' L             | 1  |
| DRILL COLLARS | 17     | CHOICE/ANY    | SLICK  | BLANK      | NEW          | 17            | 19' L             | 4  |
| DRILL COLLARS | 19     | CHOICE/ANY    | SLICK  | BLANK      | NEW          | 19            | 14' L             | 1  |

| TYPE         | OD    | STYLE  | CONN | CLASS   | OD RANGE      | NOTES | QTY |
|--------------|-------|--------|------|---------|---------------|-------|-----|
| HEAVY-WEIGHT | 3 1/2 | CONV   | NC38 | PREMIUM | 4 5/8 - 4 7/8 |       | 67  |
| HEAVY-WEIGHT | 3 1/2 | SPIRAL | NC38 | PREMIUM | 4 7/8         |       | 77  |
| HEAVY-WEIGHT | 4     | CONV   | XT39 | PREMIUM | 4 7/8         |       | 52  |
| HEAVY-WEIGHT | 4     | CONV   | XT39 | NEW     | 4 7/8         |       | 85  |
| HEAVY-WEIGHT | 4     | CONV   | VX39 | PREMIUM | 4 7/8         |       | 55  |
| HEAVY-WEIGHT | 4 1/2 | CONV   | NC46 | REMAN   | 6 3/8         |       | 28  |
| HEAVY-WEIGHT | 4 1/2 | SPIRAL | NC46 | REMAN   | 6 3/8         |       | 22  |
| HEAVY-WEIGHT | 5     | CONV   | NC50 | PREMIUM | 6 1/2 - 6 5/8 |       | 31  |
| HEAVY-WEIGHT | 5     | CONV   | NC50 | REMAN   | 6 5/8         |       | 39  |
| HEAVY-WEIGHT | 5     | CONV   | NC50 | UNUSED  | 6 5/8         |       | 24  |
| HEAVY-WEIGHT | 5     | SPIRAL | NC50 | REMAN   | 6 5/8         |       | 25  |
| HEAVY-WEIGHT | 5 1/2 | CONV   | DS55 | PREMIUM | 6 15/16 - 7   |       | 73  |
| HEAVY-WEIGHT | 5 1/2 | CONV   | FH   | PREMIUM | 7 1/8 - 7 1/2 |       | 118 |
| HEAVY-WEIGHT | 5 7/8 | CONV   | XT57 | PREMIUM | 6 7/8 - 7     |       | 39  |
| HEAVY-WEIGHT | 6 5/8 | CONV   | FH   | PREMIUM | 8 1/4 - 8 1/2 |       | 24  |

| TYPE       | OD    | ID      | STYLE | CLASS   | QUANTITY |
|------------|-------|---------|-------|---------|----------|
| NON MAG DC | 4 3/4 | 2 1/4   | SLICK | NEW     | 1        |
| NON MAG DC | 4 3/4 | 2 11/16 | SLICK | NEW     | 1        |
| NON MAG DC | 5     | CHOICE  | SLICK | NEW     | 1        |
| NON MAG DC | 5 7/8 | 2 13/16 | SLICK | PREMIUM | 3        |
| NON MAG DC | 6     | 2 13/16 | SLICK | PREMIUM | 2        |



|            |       |         |       |         |   |
|------------|-------|---------|-------|---------|---|
| NON MAG DC | 6 1/4 | 2 7/8   | SLICK | PREMIUM | 1 |
| NON MAG DC | 6 1/2 | 2 13/16 | SLICK | PREMIUM | 5 |
| NON MAG DC | 6 1/2 | 2 13/16 | SLICK | NEW     | 1 |
| NON MAG DC | 6 1/2 | 3 1/4   | SLICK | NEW     | 1 |
| NON MAG DC | 6 3/4 | 2 13/16 | SLICK | NEW     | 1 |
| NON MAG DC | 6 3/4 | 3 1/4   | SLICK | NEW     | 1 |
| NON MAG DC | 7 1/4 | 2 13/16 | SLICK | NEW     | 1 |
| NON MAG DC | 8     | 2 13/16 | SLICK | PREMIUM | 2 |
| NON MAG DC | 8     | 2 13/16 | SLICK | NEW     | 1 |
| NON MAG DC | 8     | 3 1/4   | SLICK | NEW     | 1 |
| NON MAG DC | 8 1/4 | 2 13/16 | SLICK | NEW     | 1 |
| NON MAG DC | 8 1/4 | 3 1/4   | SLICK | NEW     | 1 |
| NON MAG DC | 9 1/2 | CHOICE  | SLICK | NEW     | 1 |

| TYPE  | OD    | STYLE  | LENGTH | CLASS   | PIN CONN | NOTES | QTY |
|-------|-------|--------|--------|---------|----------|-------|-----|
| KELLY | 3 1/2 | SQUARE | 40     | NEW     | 2 7/8 IF |       | 1   |
| KELLY | 3 1/2 | HEX    | 40     | NEW     | 2 7/8 IF |       | 1   |
| KELLY | 4 1/4 | HEX    | 40     | PREMIUM | 3 1/2 IF | 85%   | 1   |
| KELLY | 4 1/4 | HEX    | 40     | NEW     | 3 1/2 IF |       | 2   |
| KELLY | 4 1/4 | HEX    | 46     | NEW     | 3 1/2 IF |       | 3   |
| KELLY | 4 1/4 | SQUARE | 40     | NEW     | 4 1/2 XH |       | 1   |
| KELLY | 5 1/4 | HEX    | 40     | PREMIUM | 4 1/2 XH | 80%   | 1   |
| KELLY | 5 1/4 | HEX    | 38     | NEW     | 4 1/2 XH |       | 1   |
| KELLY | 5 1/4 | HEX    | 40     | NEW     | 4 1/2 XH |       | 7   |
| KELLY | 5 1/4 | HEX    | 40     | NEW     | 4 1/2 XH |       | 3   |
| KELLY | 5 1/4 | HEX    | 46     | NEW     | 4 1/2 XH |       | 3   |
| KELLY | 6     | SQUARE | 40     | PREMIUM | 4 1/2 IF |       | 2   |

| TYPE            | OD     | NECK  | CLASS | QTY |
|-----------------|--------|-------|-------|-----|
| STABILIZER BODY | 8 1/2  | 6 3/4 | NEW   | 7   |
| STABILIZER BODY | 10 5/8 | 8 1/4 | NEW   | 4   |
| STABILIZER BODY | 12 1/4 | 8 1/4 | NEW   | 18  |
| STABILIZER BODY | 12 1/4 | 9 1/2 | NEW   | 12  |
| STABILIZER BODY | 14 3/4 | 9 1/2 | NEW   | 2   |
| STABILIZER BODY | 16     | 8 1/4 | NEW   | 4   |
| STABILIZER BODY | 16     | 9 1/2 | NEW   | 8   |
| STABILIZER BODY | 16 3/8 | 9 1/2 | NEW   | 12  |
| STABILIZER BODY | 17 1/2 | 8 1/4 | NEW   | 13  |
| STABILIZER BODY | 17 1/2 | 9 1/2 | NEW   | 16  |
| STABILIZER BODY | 20     | 9 1/2 | NEW   | 2   |



TUBULAR INVENTORY  
E M SUPPLY GROUP  
337-332-0239  
drillpipesupply.com

10/2/23

|                    |    |       |     |    |
|--------------------|----|-------|-----|----|
| STABILIZER BODY    | 24 | 9 1/2 | NEW | 2  |
| STABILIZER BODY    | 26 | 9 1/2 | NEW | 11 |
| SPIRALED STAB BODY | 36 | 9 1/2 | NEW | 1  |