



	A	B	C	D	E	F	G	H	I
1									
2									
3									
4	TYPE	SIZE	WEIGHT	GRADE	CONNS	CLASS	TJ DIM	NOTES	JOINTS
5									
6	31' DRILL PIPE	2 7/8	10.40	S135	PAC	PREMIUM	3 1/8		144
7									
8	31' DRILL PIPE	3 1/2	13.30	S135	NC38	PREMIUM	4 7/8 - 5	HB	1464
9	31' DRILL PIPE	3 1/2	15.50	G105	NC38	PREMIUM	4 7/8 - 5	HB/IPC	1993
10	31' DRILL PIPE	3 1/2	15.50	S135	NC38	PREMIUM	5	HB/IPC	1814
11									
12	31' DRILL PIPE	4	14.00	S135	XT39	PREMIUM	4 13/16 - 4 7/8		1141
13	31' DRILL PIPE	4	14.00	G105	FH	PREMIUM	5 1/8 - 5 1/4	HB/IPC	203
14	31' DRILL PIPE	4	14.00	S135	FH	PREMIUM	5 1/8 - 5 1/4	HB/IPC	729
15									
16	31' DRILL PIPE	4 1/2	16.60	X95	NC46	PREMIUM	5 7/8 - 6 1/8		164
17	31' DRILL PIPE	4 1/2	16.60	G105	NC46	PREMIUM	6 - 6 1/4	HB/IPC	676
18	31' DRILL PIPE	4 1/2	16.60	S135	NC46	PREMIUM	6 - 6 1/4	HB/IPC	190
19	31' DRILL PIPE	4 1/2	20.00	X95	NC46	PREMIUM	6 - 6 1/4	HB	13
20	31' DRILL PIPE	4 1/2	20.00	G105	NC46	PREMIUM	5 7/8 - 5 15/16		79
21	31' DRILL PIPE	4 1/2	20.00	G105	NC46	PREMIUM	6 - 6 1/4		305
22	31' DRILL PIPE	4 1/2	16.60	G105	NC46	NEW	6 1/4	HB/IPC	478
23	31' DRILL PIPE	4 1/2	16.60	S135	NC46	NEW	6 1/4	HB/IPC	323
24	31' DRILL PIPE	4 1/2	20.00	X95	NC46	NEW	6 1/4	HB/IPC	153
25									
26	RG3 DRILL PIPE	4 1/2	16.60	G105	NC46	NEW	6 1/4	RANGE 3	118
27									
28	31' DRILL PIPE	5	19.50	S135	XT50	PREMIUM	6 1/2 X 3 3/4	DRILL & LEAVE	218
29									
30	20' DRILL ROD	5	.362W	S135	DS50	NEW	6 5/8	20' LONG	155
31	20' DRILL ROD	5	.362W	S135	NC50	NEW	6 5/8	20' LONG	155
32									
33	31' DRILL PIPE	5	19.50	G105	NC50	PREMIUM	6 1/2 - 6 5/8	HB/IPC	685
34	31' DRILL PIPE	5	19.50	S135	NC50	PREMIUM	6 1/2 - 6 5/8	HB/IPC	93
35	31' DRILL PIPE	5	25.60	S135	NC50	PREMIUM	6 7/16 - 6 5/8		73
36	31' DRILL PIPE	5	34.00	S135	NC50	PREMIUM	6 1/2 - 6 5/8	HB/IPC	89
37									
38	RG3 DRILL PIPE	5	19.50	S135	NC50	PREMIUM	6 1/2 - 6 5/8	RANGE 3 / HB/IPC	345
39									
40	31' DRILL PIPE	5 1/2	21.90	S135	DS55	PREMIUM	7 X 3 1/2		203
41	31' DRILL PIPE	5 1/2	21.90	S135	FH	PREMIUM	7 X 3 1/2		132
42	31' DRILL PIPE	5 1/2	21.90	S135	HT55	PREMIUM	7 X 4		251
43									
44	31' DRILL PIPE	5 1/2	24.70	S135	HT55	PREMIUM	7 X 4	DRILL & LEAVE	77
45	31' DRILL PIPE	5 1/2	24.70	S135	FH	PREMIUM	7 1/4 - 7 1/2 x 3		317
46	31' DRILL PIPE	5 1/2	24.70	S135	FH	PREMIUM	7 1/4 - 7 1/2 x 3 1/2		30
47	31' DRILL PIPE	5 1/2	24.70	S135	DS55	NEW	7 1/2 X 3 1/2		141
48	31' DRILL PIPE	5 1/2	24.70	S135	FH	NEW	7 1/2 X 3 1/2		141
49									
50	31' DRILL PIPE	5 7/8	MIXED	S135	CTM57	PREMIUM	7 OD X 4 1/4 ID	DRILL & LEAVE	236
51	31' DRILL PIPE	5 7/8	23.40	S135	CTM57	PREMIUM	7 OD X 4 1/4 ID		284
52	31' DRILL PIPE	5 7/8	28.70	S135	CTM57	PREMIUM	7 OD X 4 1/4 ID		144
53									
54	31' DRILL PIPE	5 7/8	23.40	S135	XT57	PREMIUM	7 OD X 4 1/4 ID		290
55	31' DRILL PIPE	5 7/8	26.30	S135	XT57	PREMIUM	7 OD X 4 1/4 ID		46
56									
57	31' DRILL PIPE	6 5/8	27.70	S135	5 1/2 FH D.S.	NEW	7 1/2 X 3 1/2	MAKE/BREAK	320
58									
59	31' DRILL PIPE	6 5/8	27.70	S135	6 5/8 FH	PREMIUM	8 X 5	DRILL & LEAVE	31
60	31' DRILL PIPE	6 5/8	40.00	S135	6 5/8 FH	PREMIUM	8 3/8 - 8 1/2 X 4 1/4		140
61									
62									
63	TYPE	OD	ID	STYLE	CLASS	QUANTITY			
64	NON MAG DC	4 3/4	2 1/4	SLICK	NEW	1			
65	NON MAG DC	4 3/4	2 11/16	SLICK	NEW	1			
66									
67	NON MAG DC	5	CHOICE	SLICK	NEW	1			
68									
69	NON MAG DC	5 7/8	2 13/16	SLICK	PREMIUM	3			
70	NON MAG DC	6	2 13/16	SLICK	PREMIUM	2			
71									
72	NON MAG DC	6 1/4	2 7/8	SLICK	PREMIUM	1			
73									
74	NON MAG DC	6 1/2	2 13/16	SLICK	PREMIUM	5			
75	NON MAG DC	6 1/2	2 13/16	SLICK	NEW	1			
76	NON MAG DC	6 1/2	3 1/4	SLICK	NEW	1			
77									
78	NON MAG DC	6 3/4	2 13/16	SLICK	NEW	1			
79	NON MAG DC	6 3/4	3 1/4	SLICK	NEW	1			
80									
81	NON MAG DC	7 1/4	2 13/16	SLICK	NEW	1			
82									
83	NON MAG DC	8	2 13/16	SLICK	NEW	1			
84	NON MAG DC	8	3 1/4	SLICK	NEW	1			
85									
86	NON MAG DC	8 1/4	2 13/16	SLICK	NEW	1			
87	NON MAG DC	8 1/4	3 1/4	SLICK	NEW	1			
88									
89	NON MAG DC	9 1/2	CHOICE	SLICK	NEW	1			
90									
91									
92									
93	TYPE	OD	ID	STYLE	CONN	CLASS	OD RANGE	NOTES	JOINTS
94	DRILL COLLARS	3 1/8	1 1/4	SPIRAL	2 3/8 REG	USED	3 1/16		15
95	DRILL COLLARS	3 1/8	1 1/2	SPIRAL	2 7/8 PAC	USED	3 1/16		32
96	DRILL COLLARS	3 1/8	1 1/4	SLICK	2 3/8 PAC	NEW	3 1/8		4
97	DRILL COLLARS	3 1/8	1 1/4	SLICK	2 3/8 REG	NEW	3 1/8		3
98	DRILL COLLARS	3 1/8	1 1/2	SLICK	2 7/8 PAC	NEW	3 1/8		36
99									
100	DRILL COLLARS	3 1/2	1 1/2	SLICK	2 3/8 REG	NEW	3 1/8	FEB 2023	53
101									



	A	B	C	D	E	F	G	H	I
102	DRILL COLLARS	4 1/8	2	SLICK	2 7/8 IF	UNUSED	4 1/8		60
103	DRILL COLLARS	4 1/8	2	SLICK	BLANK	NEW	4 1/8		9
104									
105	DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	PREMIUM	4 3/4	USER FRIENDLY	18
106	DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	PREMIUM	4 5/8 - 4 3/4	SLIP	15
107	DRILL COLLARS	4 3/4	2 1/4	SLICK	NC38	NEW	4 3/4	FEB 2023	30
108	DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	NEW	4 3/4	SLIP/ELEVATOR	19
109	DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	NEW	4 3/4	SLIP	14
110									
111	DRILL COLLARS	4 7/8	2 1/4	SLICK	3 1/2 IF	PREMIUM	4 7/8		90
112	DRILL COLLARS	4 7/8	2 1/4	SPIRAL	3 1/2 IF	PREMIUM	4 7/8		17
113	DRILL COLLARS	4 7/8	2 1/4	SPIRAL	3 1/2 IF	NEW	4 7/8		13
114									
115	DRILL COLLARS	5 1/2 - 6	2 3/8 - 2 5/8	SLICK	MISC	USED / STOCK			29
116									
117	DRILL COLLARS	5 1/2	1 1/2	SLICK	BLANK	NEW	5 1/2	20' +/- RANDOMS	10
118									
119	DRILL COLLARS	6	2 3/8	SLICK	NC46	PREMIUM	6 - 6 1/8		46
120	DRILL COLLARS	6	2 1/4	SLICK	BLANK	NEW	6		3
121	DRILL COLLARS	6	1 1/2	SLICK	BLANK	NEW	6		1
122	DRILL COLLARS	6 1/4	2 3/8	SLICK	NC46	PREMIUM	6 1/8 - 6 5/16		25
123	DRILL COLLARS	6 1/4	2 1/4	SLICK	BLANK/NC46	NEW	6 1/4		54
124	DRILL COLLARS	6 1/4	2 1/4	SPIRAL	NC46	NEW	6 1/4		18
125									
126	DRILL COLLARS	6 1/2	2 7/8	SPIRAL	NC46/NC50	PREMIUM	6 3/8 - 6 1/2		14
127	DRILL COLLARS	6 1/2	2 3/8	SLICK	NC46	PREMIUM	6 3/8 - 6 1/2		34
128	DRILL COLLARS	6 1/2	2 3/8	SPIRAL	NC46	PREMIUM	6 3/8 - 6 1/2		15
129	DRILL COLLARS	6 1/2	2 1/4	SLICK	NC46	NEW	6 1/2	SLIP	37
130	DRILL COLLARS	6 1/2	2 13/16	SLICK	NC46/NC50	NEW	6 1/2		30
131	DRILL COLLARS	6 1/2	2 13/16	SLICK	NC50	NEW	6 1/2		5
132									
133	DRILL COLLARS	6 3/4	2 7/8	SPIRAL	NC50	USED	6 3/4		16
134	DRILL COLLARS	6 3/4	2 13/16	SLICK	BLANK	NEW	6 3/4	130 MIN YIELD	4
135	DRILL COLLARS	6 3/4	2 13/16	SPIRAL	NC50	NEW	6 3/4		2
136									
137	DRILL COLLARS	6 7/8	2 3/8	SLICK	NC46	PREMIUM	6 7/8		18
138	DRILL COLLARS	7	2 7/8	SPIRAL	NC50	PREMIUM	6 7/8 - 7 1/4		19
139									
140	DRILL COLLARS	6 3/4 - 7 3/4	2 3/8 - 3 1/8	SLICK	MISC	USED / STOCK			50
141									
142	DRILL COLLARS	7 3/4	2 7/8	SLICK	REG	PREMIUM	7 1/2 - 7 13/16		51
143	DRILL COLLARS	8	2 7/8	SLICK	REG	PREMIUM	7 7/8 - 8		21
144	DRILL COLLARS	8	2 7/8	SPIRAL	REG	PREMIUM	7 7/8 - 8		15
145	DRILL COLLARS	8	2 13/16	SLICK	NC56	NEW	8		24
146	DRILL COLLARS	8	2 13/16	SLICK	REG	NEW	8	SLIP	18
147	DRILL COLLARS	8	2 13/16	SPIRAL	REG	NEW	8	SLIP	9
148	DRILL COLLARS	8	2 13/16	SPIRAL	REG	NEW	8	SLIP/ELEVATOR	42
149									
150	DRILL COLLARS	8 1/4	2 13/16	SLICK	REG	NEW	8 1/4	FEB 2023	9
151									
152	DRILL COLLARS	8 1/2	2 7/8	SPIRAL	REG	PREMIUM	8 1/2	W/ HB	6
153									
154	DRILL COLLARS	8 - 10	2 3/8 - 3 1/8	SLICK	MISC	USED / STOCK			50
155									
156	DRILL COLLARS	9 1/2	3	SPIRAL	7 5/8 REG	USED	9 3/8 - 9 5/8		9
157	DRILL COLLARS	9 1/2	3	SLICK	7 5/8" REG	NEW	9 1/2		6
158	DRILL COLLARS	9 1/2	2 13/16	SPIRAL	7 5/8" REG	NEW	9 1/2	SLIP/ELEVATOR	11
159									
160	DRILL COLLARS	10	3 - 3 1/4	SPIRAL	7 5/8" REG	PREMIUM	10	SLIP	17
161									
162	DRILL COLLARS	10 1/2	CHOICE/ANY	SLICK	BLANK	NEW	10 1/2	16' - 21' LENGTHS	8
163									
164	DRILL COLLARS	12	CHOICE/ANY	SLICK	BLANK	NEW	12	18' L	1
165	DRILL COLLARS	14	CHOICE/ANY	SLICK	BLANK	NEW	14	15' L	1
166	DRILL COLLARS	17	CHOICE/ANY	SLICK	BLANK	NEW	17	19' L	4
167	DRILL COLLARS	19	CHOICE/ANY	SLICK	BLANK	NEW	19	14' L	1
168									
169	TYPE	OD	STYLE	CONN	CLASS	OD RANGE	NOTES	QTY	
170	HEAVY-WEIGHT	3 1/2	CONV	NC38	PREMIUM	4 5/8 - 4 7/8		67	
171	HEAVY-WEIGHT	3 1/2	SPIRAL	NC38	PREMIUM	4 7/8		77	
172									
173	HEAVY-WEIGHT	4	CONV	XT39	PREMIUM	4 7/8		52	
174	HEAVY-WEIGHT	4	CONV	XT39	NEW	4 7/8		85	
175	HEAVY-WEIGHT	4	CONV	VX39	PREMIUM	4 7/8		55	
176									
177	HEAVY-WEIGHT	4 1/2	CONV	NC46	REMAN	6 3/8		28	
178	HEAVY-WEIGHT	4 1/2	SPIRAL	NC46	REMAN	6 3/8		22	
179									
180	HEAVY-WEIGHT	5	CONV	NC50	PREMIUM	6 1/2 - 6 5/8		31	
181	HEAVY-WEIGHT	5	CONV	NC50	REMAN	6 5/8		39	
182	HEAVY-WEIGHT	5	CONV	NC50	NEW	6 5/8		13	
183	HEAVY-WEIGHT	5	SPIRAL	NC50	REMAN	6 5/8		25	
184									
185	HEAVY-WEIGHT	5 1/2	CONV	DS55	PREMIUM	6 15/16 - 7		73	
186	HEAVY-WEIGHT	5 1/2	CONV	FH	PREMIUM	7 1/8 - 7 1/2		118	
187									
188	HEAVY-WEIGHT	5 7/8	CONV	XT57	PREMIUM	6 7/8 - 7		39	
189									
190	HEAVY-WEIGHT	6 5/8	CONV	FH	PREMIUM	8 1/4 - 8 1/2		24	
191									
192									
193									
194									
195	TYPE	OD	STYLE	LENGTH	CLASS	PIN CONN	NOTES	QTY	
196	KELLY	3 1/2	SQUARE	40	NEW	2 7/8 IF		1	
197	KELLY	3 1/2	HEX	40	NEW	2 7/8 IF		1	
198									
199	KELLY	4 1/4	HEX	40	PREMIUM	3 1/2 IF	85%	1	
200	KELLY	4 1/4	HEX	40	NEW	3 1/2 IF		2	
201	KELLY	4 1/4	HEX	46	NEW	3 1/2 IF		3	



	A	B	C	D	E	F	G	H	I
202	KELLY	4 1/4	SQUARE	40	NEW	4 1/2 XH		1	
203									
204	KELLY	5 1/4	HEX	40	PREMIUM	4 1/2 XH	80%	1	
205	KELLY	5 1/4	HEX	38	NEW	4 1/2 XH		1	
206	KELLY	5 1/4	HEX	40	NEW	4 1/2 XH		7	
207	KELLY	5 1/4	HEX	40	NEW	4 1/2 XH		3	
208	KELLY	5 1/4	HEX	46	NEW	4 1/2 XH		3	
209									
210	KELLY	6	SQUARE	40	PREMIUM	4 1/2 IF		2	
211									
212									
213	TYPE	OD	NECK	CLASS	QTY				
214	STABILIZER BODY	8 1/2	6 3/4	NEW	7				
215									
216	STABILIZER BODY	10 5/8	8 1/4	NEW	4				
217									
218	STABILIZER BODY	12 1/4	8 1/4	NEW	18				
219									
220	STABILIZER BODY	12 1/4	9 1/2	NEW	12				
221									
222	STABILIZER BODY	14 3/4	9 1/2	NEW	2				
223									
224	STABILIZER BODY	16	8 1/4	NEW	4				
225	STABILIZER BODY	16	9 1/2	NEW	8				
226									
227	STABILIZER BODY	16 3/8	9 1/2	NEW	12				
228									
229	STABILIZER BODY	17 1/2	8 1/4	NEW	13				
230	STABILIZER BODY	17 1/2	9 1/2	NEW	16				
231									
232	STABILIZER BODY	20	9 1/2	NEW	2				
233									
234	STABILIZER BODY	24	9 1/2	NEW	2				
235									
236	STABILIZER BODY	26	9 1/2	NEW	11				
237									
238	SPIRALED STAB BODY	36	9 1/2	NEW	1				
239									
240									