



| TYPE | RIG | THREAD | LENGTH | CLASS | QUANTITY |
|---------------|----------|--------|--------|-------|----------|
| SHORT HDD ROD | JT922CT | 922CT | 6 | NEW | 210 |
| SHORT HDD ROD | JT1220 | 1.47-4 | 10 | NEW | 46 |
| SHORT HDD ROD | JT2020 | 1.94-4 | 10 | NEW | 77 |
| SHORT HDD ROD | JT2720R | 1.94-4 | 10 | NEW | 264 |
| SHORT HDD ROD | JT2720AT | 2.77-4 | 10 | NEW | 11 |
| SHORT HDD ROD | JT4020 | 2.59-4 | 15 | NEW | 66 |
| SHORT HDD ROD | JT7020 | 3.27-4 | 15 | NEW | 94 |
| SHORT HDD ROD | D7X11 | FS200 | 6 | NEW | 210 |
| SHORT HDD ROD | D24X40 | FS600 | 10 | NEW | 329 |
| SHORT HDD ROD | D36X50 | FS650 | 10 | NEW | 103 |
| SHORT HDD ROD | D36X50 | FS650 | 15 | NEW | 25 |
| SHORT HDD ROD | D36X50 | FS700 | 10 | NEW | 28 |
| SHORT HDD ROD | D36X50 | FS700 | 15 | NEW | 1 |
| SHORT HDD ROD | D40X40 | FS600 | 15 | NEW | 7 |
| SHORT HDD ROD | D80X100 | FS800 | 15 | NEW | 70 |
| SHORT HDD ROD | D100X120 | FS1000 | 20 | NEW | 43 |
| SHORT HDD ROD | DD6 | DS31 | 15 | NEW | 45 |
| SHORT HDD ROD | DD9 | DS31 | 20 | NEW | 9 |
| SHORT HDD ROD | DD10 | NC38 | 20 | NEW | 277 |
| SHORT HDD ROD | DD10 | DS40 | 20 | NEW | 214 |

| TYPE | OD | WALL | GRADE | CONNS | CLASS | UPSET | LENGTH | QUANTITY |
|---------------|----|-------|-------|---------------------|---------|-------|--------|----------|
| SHORT HDD ROD | 5 | 0.362 | S135 | 4 1/2 IF | NEW | IEU | 20' | 250 |
| SHORT HDD ROD | 5 | 0.362 | S135 | DS50 (4 1/2" IF DS) | PREMIUM | IEU | 20' | 57 |
| SHORT HDD ROD | 5 | 0.362 | S135 | DS50 (4 1/2" IF DS) | NEW | IEU | 20' | 250 |

| TYPE | OD | ID | STYLE | CLASS | QUANTITY |
|------------|-------|---------|-------|---------|----------|
| NON MAG DC | 4 3/4 | 2 1/4 | SLICK | NEW | 3 |
| NON MAG DC | 4 3/4 | 2 11/16 | SLICK | NEW | 2 |
| NON MAG DC | 5 | CHOICE | SLICK | NEW | 2 |
| NON MAG DC | 5 7/8 | 2 13/16 | SLICK | PREMIUM | 4 |
| NON MAG DC | 6 | 2 13/16 | SLICK | PREMIUM | 4 |
| NON MAG DC | 6 1/4 | 2 7/8 | SLICK | PREMIUM | 2 |
| NON MAG DC | 6 1/4 | 3 1/4 | SLICK | PREMIUM | 1 |
| NON MAG DC | 6 1/2 | 2 13/16 | SLICK | PREMIUM | 11 |
| NON MAG DC | 6 1/2 | 2 13/16 | SLICK | NEW | 2 |
| NON MAG DC | 6 1/2 | 3 1/4 | SLICK | NEW | 2 |
| NON MAG DC | 6 3/4 | 3 5/16 | SLICK | PREMIUM | 1 |
| NON MAG DC | 6 3/4 | 2 13/16 | SLICK | NEW | 3 |
| NON MAG DC | 6 3/4 | 3 1/4 | SLICK | NEW | 2 |
| NON MAG DC | 8 | 2 13/16 | SLICK | NEW | 2 |
| NON MAG DC | 8 | 3 1/4 | SLICK | NEW | 1 |
| NON MAG DC | 8 1/4 | 2 13/16 | SLICK | NEW | 2 |
| NON MAG DC | 8 1/4 | 3 1/4 | SLICK | NEW | 2 |
| NON MAG DC | 9 1/2 | CHOICE | SLICK | NEW | 4 |



| TYPE | SIZE | WEIGHT | GRADE | CONNS | CLASS | TJ DIM | NOTES | QUANTITY |
|------------------|-------|---------------|-------|---------------|-----------------|-------------------|------------------|----------|
| 31' DRILL PIPE | 2 7/8 | 10.40 | S135 | PAC | PREMIUM | 3 1/8 | | 180 |
| 31' DRILL PIPE | 2 7/8 | 10.40 | S135 | PAC | NEW | 3 1/8 | | 520 |
| 31' DRILL PIPE | 3 1/2 | 13.30 | S135 | NC38 | PREMIUM | 4 7/8 - 5 | HB | 3815 |
| 31' DRILL PIPE | 3 1/2 | 13.30 | S135 | NC38 | NEW | 4 7/8 | | 1504 |
| 31' DRILL PIPE | 3 1/2 | 15.50 | S135 | NC38 | PREMIUM | 5 | HB/IPC | 1814 |
| 31' DRILL PIPE | 3 1/2 | 15.50 | S135 | NC38 | NEW | 5 | | 240 |
| 31' DRILL PIPE | 4 | 14.00 | S135 | XT39 | PREMIUM | 4 13/16 - 4 7/8 | | 456 |
| 31' DRILL PIPE | 4 | 14.00 | S135 | VX39 | PREMIUM | 4 13/16 - 4 7/8 | | 456 |
| 31' DRILL PIPE | 4 | 14.00 | S135 | HT38 OR DS38 | PREMIUM | 4 7/8 | HB/IPC | 812 |
| 31' DRILL PIPE | 4 | 14.00 | G105 | FH | PREMIUM | 5 1/8 - 5 1/4 | HB/IPC | 336 |
| 31' DRILL PIPE | 4 | 14.00 | S135 | FH | PREMIUM | 5 1/8 - 5 1/4 | HB/IPC | 974 |
| 31' DRILL PIPE | 4 1/2 | 16.60 | S135 | XTM40 | PREMIUM | 5 1/4 X 2 11/16 | HB/IPC | 1235 |
| 31' DRILL PIPE | 4 1/2 | 20.00 | S135 | XTM40 | PREMIUM | 5 1/4 X 2 11/16 | HB/IPC | 489 |
| 31' DRILL PIPE | 4 1/2 | 16.60 | X95 | NC46 | PREMIUM | 5 7/8 - 6 1/8 | | 164 |
| 31' DRILL PIPE | 4 1/2 | 16.60 | G105 | NC46 | PREMIUM | 6 - 6 1/8 | HB/IPC | 315 |
| 31' DRILL PIPE | 4 1/2 | 16.60 | S135 | NC46 | PREMIUM | 5 7/8 - 6 1/4 | HB | 806 |
| 31' DRILL PIPE | 4 1/2 | 20.00 | X95 | NC46 | PREMIUM | 6 - 6 1/4 | HB | 46 |
| 31' DRILL PIPE | 4 1/2 | 20.00 | G105 | NC46 | PREMIUM | 5 7/8 - 5 15/16 | | 79 |
| 31' DRILL PIPE | 4 1/2 | 20.00 | G105 | NC46 | PREMIUM | 6 - 6 1/4 | | 305 |
| 31' DRILL PIPE | 4 1/2 | 16.60 | G105 | NC46 | NEW USA | 6 1/4 | HB/IPC | 3569 |
| 31' DRILL PIPE | 4 1/2 | 16.60 | S135 | NC46 | NEW USA | 6 1/4 | HB/IPC | 323 |
| 31' DRILL PIPE | 4 1/2 | 20.00 | X95 | NC46 | NEW T.S.C. | 6 1/4 | HB/IPC | 217 |
| 45.5' DRILL PIPE | 4 1/2 | 16.60 | S135 | DS46 | NEW T.S.C. | 6 1/4 | RANGE 3 / IPC | 260 |
| R-3 DRILL PIPE | 4 1/2 | 16.60 | S135 | DEL425 | LIKE NEW GRANT | 5 1/4 | HB | 930 |
| 31' DRILL PIPE | 5 | 19.50 | S135 | XT50 | PREMIUM | 6 1/2 X 3 3/4 | DRILL N' LEAVE | 339 |
| 31' DRILL PIPE | 5 | 19.50 | S135 | TT525 | PREMIUM | 6 1/2 X 3 7/8 | DRILL N' LEAVE | 296 |
| 31' DRILL PIPE | 5 | 19.50 | S135 | NC50 | PREMIUM | 6 1/2 - 6 5/8 | HB/IPC | 336 |
| 31' DRILL PIPE | 5 | 25.60 | S135 | NC50 | PREMIUM | 6 7/16 - 6 5/8 | | 543 |
| 31' DRILL PIPE | 5 | 25.60 | S135 | 4 1/2 IF D.S. | PREMIUM | 6 7/16 - 6 5/8 | | 390 |
| 31' DRILL PIPE | 5 | 34.00 | S135 | NC50 | PREMIUM | 6 1/2 - 6 5/8 | HB/IPC | 269 |
| 42.5' DRILL PIPE | 5 | 19.50 | S135 | NC50 | PREMIUM | 6 1/2 - 6 5/8 | RANGE 3 / HB/IPC | 276 |
| 31' DRILL PIPE | 5 1/2 | 21.90 | S135 | DS55 | PREMIUM | 6 3/4 X 4 | | 301 |
| 31' DRILL PIPE | 5 1/2 | 21.90 | S135 | DS55 | NEW | 7 X 4 | | 900 |
| 31' DRILL PIPE | 5 1/2 | 24.70 | S135 | FH | PREMIUM | 7 1/4 - 7 1/2 x 3 | RQUE SINGLE SHOU | 183 |
| 31' DRILL PIPE | 5 1/2 | 24.70 | S135 | FH D.S. | PREMIUM | 7 1/4 - 7 1/2 x 3 | | 95 |
| 31' DRILL PIPE | 5 1/2 | 24.70 | S135 | FH D.S. | UNUSED | 7 X 4 | | 70 |
| 31' DRILL PIPE | 5 1/2 | 24.70 | S135 | FH D.S. | NEW | 7 1/2 X 3 1/2 | | 200 |
| 31' DRILL PIPE | 5 1/2 | 24.70 | S135 | FH | NEW | 7 1/2 X 3 1/2 | | 200 |
| 31' DRILL PIPE | 5 7/8 | 23.40 / 28.70 | S135 | CTM57 | DRILL AND LEAVE | 7 OD X 4 1/4 ID | | 147 |
| 31' DRILL PIPE | 5 7/8 | 23.40 | S135 | CTM57 | PREMIUM | 7 OD X 4 1/4 ID | | 169 |
| 31' DRILL PIPE | 5 7/8 | 23.40 | S135 | XT57 | DRILL AND LEAVE | 7 OD X 4 1/4 ID | | 5 |
| 31' DRILL PIPE | 5 7/8 | 23.40 | S135 | XT57 | PREMIUM | 7 OD X 4 1/4 ID | | 210 |
| 31' DRILL PIPE | 5 7/8 | 26.30 | S135 | XT57 | PREMIUM | 7 OD X 4 1/4 ID | | 826 |
| 31' DRILL PIPE | 5 7/8 | 41.05 | S135 | XT57 | PREMIUM | 7 OD X 4 1/4 ID | | 450 |



| | | | | | | | | |
|----------------|-------|-------|------|---------------|---------|---------------|-------------|-------------|
| 31' DRILL PIPE | 6 5/8 | 27.70 | S135 | 5 1/2 FH D.S. | NEW | 7 1/2 X 3 1/2 | MAKE/BREAK | 320 |
| 31' DRILL PIPE | 6 5/8 | 34.01 | S135 | 5 1/2 FH D.S. | NEW | 7 1/2 X 3 1/2 | 3-4 MOS ARO | 300 |
| 31' DRILL PIPE | 6 5/8 | 27.70 | S135 | 6 5/8 FH | PREMIUM | 8 OD X 5 ID | | 59 |
| 31' DRILL PIPE | 6 5/8 | 27.70 | S135 | 6 5/8 FH | PREMIUM | 8 1/4 - 8 1/2 | | 801 |
| 31' DRILL PIPE | 6 5/8 | 34.01 | S135 | 6 5/8 FH | PREMIUM | 8 1/4 - 8 1/2 | | 256 |
| 31' DRILL PIPE | 6 5/8 | 40.00 | S135 | 6 5/8 FH | PREMIUM | 8 1/4 - 8 1/2 | | 814 |
| 31' DRILL PIPE | 6 5/8 | 27.70 | S135 | 6 5/8 FH | NEW | 8 1/2 X 4 1/4 | MAKE/BREAK | 295 |
| 31' DRILL PIPE | 6 5/8 | 27.70 | S135 | 6 5/8 FH D.S. | NEW | 8 1/2 X 4 1/2 | MAKE/BREAK | 400 - 6 WKS |
| 31' DRILL PIPE | 6 5/8 | 34.01 | S135 | 6 5/8 FH D.S. | PREMIUM | 8 1/4 | | 64 |
| 31' DRILL PIPE | 6 5/8 | 34.01 | S135 | 6 5/8 FH D.S. | NEW | 8 1/2 X 4 1/4 | MAKE/BREAK | 199 |
| 31' DRILL PIPE | 7 5/8 | 33 | S135 | 6 5/8 FH D.S. | PREMIUM | 8 1/4 X 4 | | 400 |
| 31' DRILL PIPE | 7 5/8 | 33 | S135 | 6 5/8 FH D.S. | NEW | 8 1/4 | MAKE/BREAK | 61 |

| TYPE | OD | ID | STYLE | CONN | CLASS | OD RANGE | NOTES | QUANTITY |
|---------------|-----------|-----------------|--------|-----------|--------------|-----------------|--------------|----------|
| DRILL COLLARS | 3 1/8 | 1 1/4 | SPIRAL | 2 3/8 REG | USED | 3 1/16 | | 15 |
| DRILL COLLARS | 3 1/8 | 1 1/2 | SPIRAL | 2 7/8 PAC | USED | 3 1/16 | | 32 |
| DRILL COLLARS | 3 1/8 | 1 1/4 | SLICK | 2 3/8 PAC | NEW SURPLUS | 3 1/8 | | 34 |
| DRILL COLLARS | 3 1/8 | 1 1/4 | SLICK | BLANK | NEW | 3 1/8 | | 6 |
| DRILL COLLARS | 3 1/8 | 1 1/2 | SLICK | BLANK | NEW | 3 1/8 | | 26 |
| DRILL COLLARS | 3 1/2 | 1 1/2 | SLICK | 2 3/8 IF | USED | 3 1/2 | | 14 |
| DRILL COLLARS | 3 1/2 | 1 1/2 | SLICK | 2 3/8 IF | NEW | 3 1/2 | | 14 |
| DRILL COLLARS | 4 1/8 | 2 | SLICK | BLANK | NEW | 4 1/8 | | 10 |
| DRILL COLLARS | 4 1/2 | 2 | SPIRAL | 3 1/2 XH | PREMIUM | 4 1/2 | SLIP/ELEV | 8 |
| DRILL COLLARS | 4 3/4 | 2 | SLICK | BLANK | NEW | 4 3/4 | | 9 |
| DRILL COLLARS | 4 3/4 | 2 1/4 | SPIRAL | NC38 | PREMIUM | 4 11/16 - 4 3/4 | SLIP/ELEV | 18 |
| DRILL COLLARS | 4 3/4 | 2 1/4 | SLICK | NC38 | NEW | 4 3/4 | SLIP | 21 |
| DRILL COLLARS | 4 3/4 | 2 1/4 | SPIRAL | NC38 | NEW | 4 3/4 | SLIP | 13 |
| DRILL COLLARS | 4 7/8 | 2 1/4 | SPIRAL | 3 1/2 IF | NEW | 4 7/8 | | 13 |
| DRILL COLLARS | 4 7/8 | 2 1/4 | SLICK | BLANK | NEW | 4 7/8 | | 5 |
| DRILL COLLARS | 5 1/4 | 2 1/4 - 2 11/16 | SLICK | BLANK | NEW | 5 1/4 | | 10 |
| DRILL COLLARS | 5 1/2 - 6 | 2 3/8 - 2 5/8 | SLICK | MISC | USED / STOCK | | | 26 |
| DRILL COLLARS | 6 | 2 3/8 | SLICK | NC46 | PREMIUM | 6 - 6 1/8 | SLIP/ELEV/HB | 6 |
| DRILL COLLARS | 6 1/4 | 2 3/8 | SLICK | NC46 | PREMIUM | 6 1/8 - 6 5/16 | | 32 |
| DRILL COLLARS | 6 1/4 | 2 1/4 | SLICK | NC46 | NEW | 6 1/4 | SLIP | 20 |
| DRILL COLLARS | 6 1/2 | 2 7/8 | SPIRAL | NC46/NC50 | PREMIUM | 6 3/8 - 6 1/2 | | 13 |
| DRILL COLLARS | 6 1/2 | 2 3/8 | SLICK | NC46 | PREMIUM | 6 3/8 - 6 1/2 | | 21 |
| DRILL COLLARS | 6 1/2 | 2 3/8 | SPIRAL | NC46 | PREMIUM | 6 3/8 - 6 1/2 | | 13 |
| DRILL COLLARS | 6 1/2 | 2 1/4 | SLICK | NC46 | NEW | 6 1/2 | SLIP | 61 |
| DRILL COLLARS | 6 1/2 | 2 13/16 | SLICK | BLANK | NEW | 6 1/2 | | 30 |
| DRILL COLLARS | 6 1/2 | 2 13/16 | SLICK | NC50 | NEW | 6 1/2 | | 10 |
| DRILL COLLARS | 6 3/4 | 2 7/8 | SPIRAL | NC50 | USED | 6 3/4 | | 70 |
| DRILL COLLARS | 6 3/4 | 2 7/8 | SPIRAL | NC50 | UNUSED | 6 3/4 | | 10 |



| | | | | | | | | |
|---------------|---------------|---------------|--------------|------------|--------------|----------------|-------|-----|
| DRILL COLLARS | 6 3/4 | 2 13/16 | SLICK | BLANK | NEW | 6 3/4 | | 37 |
| DRILL COLLARS | 6 7/8 | 2 3/8 | SLICK | NC46 | PREMIUM | 6 7/8 | | 18 |
| DRILL COLLARS | 7 | 2 7/8 | SPIRAL | NC50 | PREMIUM | 6 7/8 - 7 1/4 | | 19 |
| DRILL COLLARS | 6 3/4 - 7 3/4 | 2 3/8 - 3 1/8 | SLICK | MISC | USED / STOCK | | | 50 |
| DRILL COLLARS | 7 1/4 | 2 13/16 | SLICK | BLANK | NEW | 7 1/4 | | 4 |
| DRILL COLLARS | 8 | 2 7/8 | SLICK | REG | PREMIUM | 7 7/8 - 8 | | 136 |
| DRILL COLLARS | 8 | 2 7/8 | SPIRAL | REG | PREMIUM | 7 7/8 - 8 | | 12 |
| DRILL COLLARS | 8 | 2 13/16 | SLICK | BLANK | NEW | 8 | | 6 |
| DRILL COLLARS | 8 | 2 13/16 | SLICK | REG | NEW | 8 | SLIP | 33 |
| DRILL COLLARS | 8 | 2 13/16 | SPIRAL | REG | NEW | 8 | SLIP | 15 |
| DRILL COLLARS | 8 1/4 | 2 7/8 | SPIRAL | REG | PREMIUM | 8 1/8 - 8 1/4 | | 4 |
| DRILL COLLARS | 8 1/4 | 2 7/8 | SPIRAL | REG | NEW | 8 1/8 - 8 1/4 | W/ HB | 7 |
| DRILL COLLARS | 8 - 10 | 2 3/8 - 3 1/8 | SLICK | MISC | USED / STOCK | | | 50 |
| DRILL COLLARS | 9 1/2 | 3 | SPIRAL | 7 5/8" REG | USED | 9 1/2 - 9 9/16 | | 4 |
| DRILL COLLARS | 9 1/2 | 3 | SLICK | MIXED | USED | 9 1/4 - 9 3/4 | | 11 |
| DRILL COLLARS | 9 1/2 | 2 13/16 | SLICK | BLANK | NEW | 9 1/2 | | 6 |
| DRILL COLLARS | 9 1/2 | 3 | SLICK | BLANK | NEW | 9 1/2 | | 7 |
| DRILL COLLARS | 10 | 3 | SLICK/SPIRAL | 8 5/8 REG | PREMIUM | 10 | | 4 |
| DRILL COLLARS | 10 | 5 | SLICK | BLANK | NEW | 10 | | 4 |
| DRILL COLLARS | 11 | 4 | SLICK | 8 5/8 REG | USED | 11 | | 5 |
| DRILL COLLARS | 11 | 5 1/4 | SLICK | BLANK | NEW | 11 | | 6 |

| TYPE | OD | STYLE | CONN | CLASS | OD RANGE | NOTES | QTY | |
|--------------|-------|--------|--------|---------|---------------|-------|-----|---------|
| HEAVY-WEIGHT | 3 1/2 | CONV | NC38 | PREMIUM | 4 5/8 - 4 7/8 | | 84 | |
| HEAVY-WEIGHT | 3 1/2 | CONV | NC38 | REMAN | 4 7/8 | | 30 | 4 WEEKS |
| HEAVY-WEIGHT | 4 | CONV | XT39 | PREMIUM | 4 7/8 | | 154 | |
| HEAVY-WEIGHT | 4 | CONV | VX39 | PREMIUM | 4 7/8 | | 89 | |
| HEAVY-WEIGHT | 4 | CONV | XT39 | NEW | 4 7/8 | | 163 | |
| HEAVY-WEIGHT | 4 1/2 | CONV | DEL425 | NEW | 5 1/4 | | 50 | |
| HEAVY-WEIGHT | 4 1/2 | CONV | NC46 | REMAN | 6 3/8 | | 28 | |
| HEAVY-WEIGHT | 4 1/2 | SPIRAL | NC46 | REMAN | 6 3/8 | | 22 | |
| HEAVY-WEIGHT | 4 1/2 | CONV | DS40 | REMAN | 6 3/8 | | 30 | |
| HEAVY-WEIGHT | 5 | CONV | NC50 | PREMIUM | 6 1/2 - 6 5/8 | | 194 | |
| HEAVY-WEIGHT | 5 | CONV | NC50 | REMAN | 6 5/8 | | 30 | |
| HEAVY-WEIGHT | 5 | CONV | NC50 | NEW | 6 5/8 | | 29 | |
| HEAVY-WEIGHT | 5 | SPIRAL | NC50 | REMAN | 6 5/8 | | 25 | |
| HEAVY-WEIGHT | 5 1/2 | CONV | FH | PREMIUM | 7 1/8 - 7 1/2 | | 118 | |
| HEAVY-WEIGHT | 6 5/8 | CONV | FH | PREMIUM | 8 1/4 - 8 1/2 | | 24 | |



| TYPE | OD | STYLE | LENGTH | CLASS | PIN CONN | NOTES | QTY |
|-------|-------|--------|--------|---------|----------|-------|-----|
| KELLY | 3 1/2 | SQUARE | 40 | NEW | 2 7/8 IF | | 1 |
| KELLY | 3 1/2 | HEX | 40 | NEW | 2 7/8 IF | | 1 |
| KELLY | 4 1/4 | HEX | 40 | PREMIUM | 3 1/2 IF | 85% | 1 |
| KELLY | 4 1/4 | HEX | 40 | NEW | 3 1/2 IF | | 2 |
| KELLY | 4 1/4 | HEX | 46 | NEW | 3 1/2 IF | | 3 |
| KELLY | 4 1/4 | SQUARE | 40 | NEW | 4 1/2 XH | | 1 |
| KELLY | 5 1/4 | HEX | 40 | PREMIUM | 4 1/2 XH | 80% | 1 |
| KELLY | 5 1/4 | HEX | 38 | NEW | 4 1/2 XH | | 1 |
| KELLY | 5 1/4 | HEX | 40 | NEW | 4 1/2 XH | | 7 |
| KELLY | 5 1/4 | HEX | 40 | NEW | 4 1/2 XH | | 3 |
| KELLY | 5 1/4 | HEX | 46 | NEW | 4 1/2 XH | | 3 |

| TYPE | OD | NECK | LENGTH | CLASS | QTY |
|-----------------|--------|-------|--------|-------|-----|
| STABILIZER BODY | 8 1/2 | 6 3/4 | 76 | NEW | 16 |
| STABILIZER BODY | 10 5/8 | 8 1/4 | 85 | NEW | 15 |
| STABILIZER BODY | 12 1/4 | 8 1/4 | 100 | NEW | 81 |
| STABILIZER BODY | 14 3/4 | 9 1/2 | 105 | NEW | 19 |
| STABILIZER BODY | 16 | 9 1/2 | 100 | NEW | 24 |
| STABILIZER BODY | 16 3/8 | 9 1/2 | 105 | NEW | 14 |
| STABILIZER BODY | 17 1/2 | 8 1/4 | 100 | NEW | 35 |
| STABILIZER BODY | 17 1/2 | 9 1/2 | 100 | NEW | 16 |
| STABILIZER BODY | 18 | 9 1/2 | 116 | NEW | 3 |
| STABILIZER BODY | 20 | 9 1/2 | 116 | NEW | 3 |
| STABILIZER BODY | 24 | 9 1/2 | 116 | NEW | 3 |
| STABILIZER BODY | 26 | 9 1/2 | 116 | NEW | 5 |