



	A	B	C	D	E	F	G	H	I
1									
2	TYPE	OD	WALL	GRADE	CONNS	CLASS	UPSET	LENGTH	JOINTS
3	SHORT DRILL ROD	2 7/8	.362	S135	DS 31	NEW	STANDARD	15'	CALL
4	SHORT DRILL ROD	3 1/2	.368	S135	DS 31	NEW	STANDARD	20'	CALL
5	SHORT DRILL ROD	3 1/2	.368	S135	FS1000	NEW	STANDARD	20'	CALL
6	SHORT DRILL ROD	4	.330	S135	NC38	NEW	4 7/8	20'	CALL
7	SHORT DRILL ROD	4	.330	S135	DS40	NEW	5 1/4	20'	CALL
8	SHORT DRILL ROD	5	.362	S135	DS50	NEW	6 5/8	20'	155
9	SHORT DRILL ROD	5	.362	S135	NC50	NEW	6 5/8	20'	155
10									
11	TYPE	OD	ID	STYLE	CLASS	QUANTITY			
12	NON MAG DC	4 3/4	2 1/4	SLICK	NEW	1			
13	NON MAG DC	4 3/4	2 11/16	SLICK	NEW	1			
14									
15	NON MAG DC	5	CHOICE	SLICK	NEW	1			
16									
17	NON MAG DC	5 7/8	2 13/16	SLICK	PREMIUM	3			
18	NON MAG DC	6	2 13/16	SLICK	PREMIUM	2			
19									
20	NON MAG DC	6 1/4	2 7/8	SLICK	PREMIUM	1			
21									
22	NON MAG DC	6 1/2	2 13/16	SLICK	PREMIUM	5			
23	NON MAG DC	6 1/2	2 13/16	SLICK	NEW	2			
24	NON MAG DC	6 1/2	3 1/4	SLICK	NEW	1			
25									
26	NON MAG DC	6 3/4	2 13/16	SLICK	NEW	3			
27	NON MAG DC	6 3/4	3 1/4	SLICK	NEW	1			
28									
29	NON MAG DC	7 1/4	2 13/16	SLICK	NEW	3			
30									
31	NON MAG DC	8	2 13/16	SLICK	NEW	2			
32	NON MAG DC	8	3 1/4	SLICK	NEW	3			
33									
34	NON MAG DC	8 1/4	2 13/16	SLICK	NEW	2			
35	NON MAG DC	8 1/4	3 1/4	SLICK	NEW	1			
36									
37	NON MAG DC	9 1/2	CHOICE	SLICK	NEW	4			
38									
39									
40									
41	TYPE	SIZE	WEIGHT	GRADE	CONNS	CLASS	TJ DIM	NOTES	JOINTS
42									
43	31' DRILL PIPE	2 7/8	10.40	S135	PAC	PREMIUM	3 1/8		144
44									
45	31' DRILL PIPE	3 1/2	13.30	S135	NC38	PREMIUM	4 7/8 - 5	HB	2317
46	31' DRILL PIPE	3 1/2	15.50	G105	NC38	PREMIUM	4 7/8 - 5	HB/IPC	115
47	31' DRILL PIPE	3 1/2	15.50	S135	NC38	PREMIUM	5	HB/IPC	1814
48									
49	31' DRILL PIPE	4	14.00	S135	XT39	PREMIUM	4 13/16 - 4 7/8		785
50	31' DRILL PIPE	4	14.00	G105	FH	PREMIUM	5 1/8 - 5 1/4	HB/IPC	203
51	31' DRILL PIPE	4	14.00	S135	FH	PREMIUM	5 1/8 - 5 1/4	HB/IPC	1130
52									
53	31' DRILL PIPE	4 1/2	16.60	X95	NC46	PREMIUM	5 7/8 - 6 1/8		164
54	31' DRILL PIPE	4 1/2	16.60	G105	NC46	PREMIUM	6 - 6 1/4	HB/IPC	676
55	31' DRILL PIPE	4 1/2	16.60	S135	NC46	PREMIUM	6 - 6 1/4	HB/IPC	3442
56	31' DRILL PIPE	4 1/2	20.00	X95	NC46	PREMIUM	6 - 6 1/4	HB	13
57	31' DRILL PIPE	4 1/2	20.00	G105	NC46	PREMIUM	5 7/8 - 5 15/16		79
58	31' DRILL PIPE	4 1/2	20.00	G105	NC46	PREMIUM	6 - 6 1/4		305
59	31' DRILL PIPE	4 1/2	16.60	G105	NC46	NEW	6 1/4	HB/IPC	1054
60	31' DRILL PIPE	4 1/2	16.60	S135	NC46	NEW	6 1/4	HB/IPC	323
61	31' DRILL PIPE	4 1/2	20.00	X95	NC46	NEW	6 1/4	HB/IPC	153



	A	B	C	D	E	F	G	H	I
62									
63	RG3 DRILL PIPE	4 1/2	16.60	G105	NC46	NEW	6 1/4	RANGE 3	118
64									
65	31' DRILL PIPE	5	19.50	S135	XT50	PREMIUM	6 1/2 X 3 3/4	DRILL & LEAVE	224
66									
67	31' DRILL PIPE	5	19.50	G105	NC50	PREMIUM	6 1/2 - 6 5/8	HB/IPC	264
68	31' DRILL PIPE	5	19.50	S135	NC50	PREMIUM	6 1/2 - 6 5/8	HB/IPC	316
69	31' DRILL PIPE	5	25.60	S135	NC50	PREMIUM	6 7/16 - 6 5/8		73
70	31' DRILL PIPE	5	34.00	S135	NC50	PREMIUM	6 1/2 - 6 5/8	HB/IPC	89
71									
72	RG3 DRILL PIPE	5	19.50	S135	NC50	PREMIUM	6 1/2 - 6 5/8	RANGE 3 / HB/IPC	345
73									
74	31' DRILL PIPE	5 1/2	21.90	S135	DS55	PREMIUM	7 X 4		354
75	31' DRILL PIPE	5 1/2	21.90	S135	FH	PREMIUM	7 X 3 1/2		381
76	31' DRILL PIPE	5 1/2	21.90	S135	DS55	PREMIUM	7 X 3 1/2		118
77	31' DRILL PIPE	5 1/2	21.90	S135	HT55	PREMIUM	7 X 4	DRILL & LEAVE	199
78									
79	31' DRILL PIPE	5 1/2	24.70	S135	HT55	PREMIUM	7 X 4		251
80	31' DRILL PIPE	5 1/2	24.70	S135	FH	PREMIUM	7 1/4 - 7 1/2 x 3		175
81	31' DRILL PIPE	5 1/2	24.70	S135	FH	PREMIUM	7 1/4 - 7 1/2 x 3 1/2		207
82	31' DRILL PIPE	5 1/2	24.70	S135	DS55	NEW	7 1/2 X 3 1/2		141
83	31' DRILL PIPE	5 1/2	24.70	S135	FH	NEW	7 1/2 X 3 1/2		141
84									
85	31' DRILL PIPE	5 7/8	MIXED	S135	CTM57	PREMIUM	7 OD X 4 1/4 ID	DRILL & LEAVE	236
86	31' DRILL PIPE	5 7/8	23.40	S135	CTM57	PREMIUM	7 OD X 4 1/4 ID		284
87	31' DRILL PIPE	5 7/8	28.70	S135	CTM57	PREMIUM	7 OD X 4 1/4 ID		144
88	31' DRILL PIPE	5 7/8	34.21	S135	CTM57	PREMIUM	7 OD X 4 1/4 ID		223
89									
90	31' DRILL PIPE	5 7/8	23.40	S135	XT57	PREMIUM	7 OD X 4 1/4 ID		290
91	31' DRILL PIPE	5 7/8	26.30	S135	XT57	PREMIUM	7 OD X 4 1/4 ID		46
92									
93	31' DRILL PIPE	6 5/8	27.70	S135	5 1/2 FH D.S.	NEW	7 1/2 X 3 1/2	MAKE/BREAK	320
94	31' DRILL PIPE	6 5/8	34.01	S135	5 1/2 FH D.S.	NEW	7 1/2 X 3 1/2	MAKE/BREAK	180
95									
96	31' DRILL PIPE	6 5/8	27.70	S135	6 5/8 FH	PREMIUM	8 X 5	DRILL & LEAVE	56
97	31' DRILL PIPE	6 5/8	27.70	S135	6 5/8 FH	PREMIUM	8 X 5		115
98	31' DRILL PIPE	6 5/8	34.01	S135	6 5/8 FH	PREMIUM	8 3/8 - 8 1/2 X 4 1/4		255
99	31' DRILL PIPE	6 5/8	40.00	S135	6 5/8 FH	PREMIUM	8 3/8 - 8 1/2 X 4 1/4		140
100									
101	31' DRILL PIPE	6 5/8	27.70	S135	6 5/8 FH D.S.	NEW	8 1/2 X 4 1/2	MAKE/BREAK	457
102	31' DRILL PIPE	6 5/8	34.01	S135	6 5/8 FH D.S.	NEW	8 1/2 X 4 1/4	MAKE/BREAK	199
103									
104									
105									
106									
107	TYPE	OD	ID	STYLE	CONN	CLASS	OD RANGE	NOTES	JOINTS
108	DRILL COLLARS	3 1/8	1 1/4	SPIRAL	2 3/8 REG	USED	3 1/16		15
109	DRILL COLLARS	3 1/8	1 1/2	SPIRAL	2 7/8 PAC	USED	3 1/16		32
110	DRILL COLLARS	3 1/8	1 1/4	SLICK	2 3/8 PAC	NEW	3 1/8		17
111	DRILL COLLARS	3 1/8	1 1/4	SLICK	2 3/8 REG	NEW	3 1/8		5
112	DRILL COLLARS	3 1/8	1 1/2	SLICK	2 7/8 PAC	NEW	3 1/8		4
113									
114	DRILL COLLARS	3 1/2	1 1/2	SLICK	2 3/8 IF	NEW	3 1/2		30
115									
116	DRILL COLLARS	4 1/8	2	SLICK	BLANK	NEW	4 1/8		16
117									
118	DRILL COLLARS	4 1/2	SOLID	SLICK	BLANK	NEW	4 1/2		7
119									
120	DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	PREMIUM	4 3/4	USER FRIENDLY	18
121	DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	PREMIUM	4 5/8 - 4 3/4	SLIP	31
122	DRILL COLLARS	4 3/4	2 1/4	SLICK	NC38	NEW	4 3/4	SLIP	19



	A	B	C	D	E	F	G	H	I
123									
124	DRILL COLLARS	4 7/8	2 1/4	SPIRAL	3 1/2 IF	PREMIUM	4 7/8		17
125	DRILL COLLARS	4 7/8	2 1/4	SPIRAL	3 1/2 IF	NEW	4 7/8		13
126									
127	DRILL COLLARS	5 1/2 - 6	2 3/8 - 2 5/8	SLICK	MISC	USED / STOCK			29
128									
129	DRILL COLLARS	6	2 3/8	SLICK	NC46	PREMIUM	6 - 6 1/8		46
130	DRILL COLLARS	6	2 1/4	SLICK	BLANK	NEW	6		3
131	DRILL COLLARS	6	1 1/2	SLICK	BLANK	NEW	6		1
132	DRILL COLLARS	6 1/4	2 3/8	SLICK	NC46	PREMIUM	6 1/8 - 6 5/16		34
133	DRILL COLLARS	6 1/4	2 1/4	SLICK	BLANK/NC46	NEW	6 1/4		89
134									
135	DRILL COLLARS	6 1/2	2 7/8	SPIRAL	NC46/NC50	PREMIUM	6 3/8 - 6 1/2		14
136	DRILL COLLARS	6 1/2	2 3/8	SLICK	NC46	PREMIUM	6 3/8 - 6 1/2		76
137	DRILL COLLARS	6 1/2	2 3/8	SPIRAL	NC46	PREMIUM	6 3/8 - 6 1/2		21
138	DRILL COLLARS	6 1/2	2 1/4	SLICK	NC46	NEW	6 1/2	SLIP	54
139	DRILL COLLARS	6 1/2	2 13/16	SLICK	NC46/NC50	NEW	6 1/2		30
140	DRILL COLLARS	6 1/2	2 13/16	SLICK	NC50	NEW	6 1/2		5
141									
142	DRILL COLLARS	6 3/4	2 7/8	SPIRAL	NC50	USED	6 3/4		16
143	DRILL COLLARS	6 3/4	2 13/16	SLICK	BLANK	NEW	6 3/4		12
144	DRILL COLLARS	6 3/4	2 13/16	SLICK	NC50	NEW	6 3/4		8
145									
146	DRILL COLLARS	6 7/8	2 3/8	SLICK	NC46	PREMIUM	6 7/8		18
147	DRILL COLLARS	7	2 7/8	SPIRAL	NC50	PREMIUM	6 7/8 - 7 1/4		19
148									
149	DRILL COLLARS	6 3/4 - 7 3/4	2 3/8 - 3 1/8	SLICK	MISC	USED / STOCK			50
150									
151	DRILL COLLARS	7 1/4	2 13/16	SLICK	BLANK	NEW	7 1/4		2
152									
153	DRILL COLLARS	7 3/4	2 7/8	SLICK	REG	PREMIUM	7 1/2 - 7 13/16		51
154	DRILL COLLARS	8	2 7/8	SLICK	REG	PREMIUM	7 7/8 - 8		136
155	DRILL COLLARS	8	2 7/8	SPIRAL	REG	PREMIUM	7 7/8 - 8		15
156	DRILL COLLARS	8	2 13/16	SLICK	NC56	NEW	8		24
157	DRILL COLLARS	8	2 13/16	SLICK	REG	NEW	8	SLIP	55
158	DRILL COLLARS	8	2 13/16	SPIRAL	REG	NEW	8	SLIP	15
159	DRILL COLLARS	8	2 13/16	SPIRAL	REG	NEW	8	SLIP/ELEVATOR	42
160									
161	DRILL COLLARS	8 1/2	2 7/8	SPIRAL	REG	PREMIUM	8 1/2	W/ HB	6
162									
163	DRILL COLLARS	8 - 10	2 3/8 - 3 1/8	SLICK	MISC	USED / STOCK			50
164									
165	DRILL COLLARS	9 1/2	3	SLICK	MIXED	USED	9 - 9 3/4		11
166	DRILL COLLARS	9 1/2	3	SPIRAL	7 5/8 REG	USED	9 1/2 - 9 9/16		4
167	DRILL COLLARS	9 1/2	3	SLICK	BLANK	NEW	9 1/2		6
168	DRILL COLLARS	9 1/2	3	SLICK	7 5/8" REG	NEW	9 1/2		3
169	DRILL COLLARS	9 1/2	2 13/16	SPIRAL	7 5/8" REG	NEW	9 1/2	SLIP/ELEVATOR	11
170									
171	TYPE	OD	STYLE	CONN	CLASS	OD RANGE	NOTES	QTY	
172	HEAVY-WEIGHT	3 1/2	CONV	NC38	PREMIUM	4 5/8 - 4 7/8		24	
173	HEAVY-WEIGHT	3 1/2	CONV	NC38	REMAN	4 7/8		30	4 WEEKS
174									
175	HEAVY-WEIGHT	4	CONV	XT39	PREMIUM	4 7/8		154	
176	HEAVY-WEIGHT	4	CONV	VX39	PREMIUM	4 7/8		55	
177									
178	HEAVY-WEIGHT	4 1/2	CONV	NC46	REMAN	6 3/8		28	
179	HEAVY-WEIGHT	4 1/2	SPIRAL	NC46	REMAN	6 3/8		22	
180	HEAVY-WEIGHT	4 1/2	CONV	DS40	REMAN	6 3/8		30	
181									
182	HEAVY-WEIGHT	5	CONV	NC50	PREMIUM	6 1/2 - 6 5/8		62	



	A	B	C	D	E	F	G	H	I
183	HEAVY-WEIGHT	5	CONV	NC50	REMAN	6 5/8		30	
184	HEAVY-WEIGHT	5	CONV	NC50	NEW	6 5/8		29	
185	HEAVY-WEIGHT	5	SPIRAL	NC50	REMAN	6 5/8		25	
186									
187	HEAVY-WEIGHT	5 1/2	CONV	DS55	PREMIUM	6 15/16 - 7		73	
188	HEAVY-WEIGHT	5 1/2	CONV	FH	PREMIUM	7 1/8 - 7 1/2		118	
189									
190	HEAVY-WEIGHT	5 7/8	CONV	XT57	PREMIUM	6 7/8 - 7		39	
191									
192	HEAVY-WEIGHT	6 5/8	CONV	FH	PREMIUM	8 1/4 - 8 1/2		24	
193									
194									
195									
196									
	TYPE	OD	STYLE	LENGTH	CLASS	PIN CONN	NOTES	QTY	
197									
198	KELLY	3 1/2	SQUARE	40	NEW	2 7/8 IF		1	
199	KELLY	3 1/2	HEX	40	NEW	2 7/8 IF		1	
200									
201	KELLY	4 1/4	HEX	40	PREMIUM	3 1/2 IF	85%	1	
202	KELLY	4 1/4	HEX	40	NEW	3 1/2 IF		2	
203	KELLY	4 1/4	HEX	46	NEW	3 1/2 IF		3	
204	KELLY	4 1/4	SQUARE	40	NEW	4 1/2 XH		1	
205									
206	KELLY	5 1/4	HEX	40	PREMIUM	4 1/2 XH	80%	1	
207	KELLY	5 1/4	HEX	38	NEW	4 1/2 XH		1	
208	KELLY	5 1/4	HEX	40	NEW	4 1/2 XH		7	
209	KELLY	5 1/4	HEX	40	NEW	4 1/2 XH		3	
210	KELLY	5 1/4	HEX	46	NEW	4 1/2 XH		3	
211									
212									
	TYPE	OD	NECK	CLASS	QTY				
213									
214									
215	STABILIZER BODY	8 1/2	6 3/4	NEW	7				
216									
217	STABILIZER BODY	12 1/4	8 1/4	NEW	19				
218	STABILIZER BODY	12 1/4	9 1/2	NEW	12				
219									
220	STABILIZER BODY	14 3/4	9 1/2	NEW	2				
221									
222	STABILIZER BODY	16	8 1/4	NEW	4				
223	STABILIZER BODY	16	9 1/2	NEW	8				
224									
225	STABILIZER BODY	16 3/8	9 1/2	NEW	12				
226									
227	STABILIZER BODY	17 1/2	8 1/4	NEW	13				
228	STABILIZER BODY	17 1/2	9 1/2	NEW	8				
229									
230	STABILIZER BODY	20	9 1/2	NEW	2				
231									
232	STABILIZER BODY	24	9 1/2	NEW	2				
233									
234	STABILIZER BODY	26	9 1/2	NEW	11				
235									
236	STABILIZER BODY	36	9 1/2	NEW	2				
237									
238									