



| TYPE | OD | WALL | GRADE | CONNS | CLASS | UPSET | LENGTH | QUANTITY |
|---------------|----|-------|-------|---------------------|-------|-------|--------|----------|
| SHORT HDD ROD | 5 | 0.362 | S135 | 4 1/2 IF | NEW | IEU | 20' | 192 |
| SHORT HDD ROD | 5 | 0.362 | S135 | DS50 (4 1/2" IF DS) | NEW | IEU | 20' | 192 |

| TYPE | OD | ID | STYLE | CLASS | QUANTITY |
|------------|-------|---------|-------|---------|----------|
| NON MAG DC | 4 3/4 | 2 1/4 | SLICK | NEW | 3 |
| NON MAG DC | 4 3/4 | 2 11/16 | SLICK | NEW | 2 |
| NON MAG DC | 5 7/8 | 2 13/16 | SLICK | PREMIUM | 4 |
| NON MAG DC | 6 | 2 13/16 | SLICK | PREMIUM | 4 |
| NON MAG DC | 6 1/4 | 2 7/8 | SLICK | PREMIUM | 5 |
| NON MAG DC | 6 1/4 | 3 1/4 | SLICK | PREMIUM | 1 |
| NON MAG DC | 6 1/2 | 2 13/16 | SLICK | PREMIUM | 3 |
| NON MAG DC | 6 1/2 | 2 13/16 | SLICK | NEW | 2 |
| NON MAG DC | 6 1/2 | 3 1/4 | SLICK | NEW | 5 |
| NON MAG DC | 6 3/4 | 2 13/16 | SLICK | NEW | 1 |
| NON MAG DC | 6 3/4 | 3 1/4 | SLICK | NEW | 2 |
| NON MAG DC | 8 | 2 13/16 | SLICK | NEW | 0 |
| NON MAG DC | 8 | 3 1/4 | SLICK | NEW | 0 |
| NON MAG DC | 8 1/4 | 2 13/16 | SLICK | NEW | 1 |
| NON MAG DC | 8 1/4 | 3 1/4 | SLICK | NEW | 1 |
| NON MAG DC | 9 1/2 | 3 | SLICK | NEW | 2 |

| TYPE | SIZE | WEIGHT | GRADE | CONNS | CLASS | TJ DIM | NOTES | QUANTITY |
|----------------|-------|--------|-------|-------|-----------------|-----------------|-------------------|----------|
| 31' DRILL PIPE | 2 7/8 | 10.40 | S135 | AOH | PREMIUM | 3 3/4 - 3 7/8 | HB | 402 |
| 31' DRILL PIPE | 2 7/8 | 10.40 | S135 | NC31 | PREMIUM | 4 1/16 - 4 1/8 | | 575 |
| 31' DRILL PIPE | 3 1/2 | 13.30 | S135 | NC38 | PREMIUM | 4 3/4 - 4 7/8 | HB | 596 |
| 31' DRILL PIPE | 3 1/2 | 15.50 | G105 | NC38 | PREMIUM | 4 11/16 - 4 3/4 | IPC | 183 |
| 31' DRILL PIPE | 3 1/2 | 13.30 | S135 | NC38 | NEW D.P.I. | 5 X 2 9/16 | HB | 155 |
| 31' DRILL PIPE | 4 | 14.00 | S135 | XT39 | PREMIUM | 4 13/16 - 4 7/8 | | 622 |
| 31' DRILL PIPE | 4 | 14.00 | S135 | XT39 | NEW - G.PRIDECO | 4 7/8 | HB/IPC \$33/FT!!! | 1100 |
| 31' DRILL PIPE | 4 | 14.00 | S135 | XT39 | NEW - G.PRIDECO | 4 7/8 | HB \$28/FT!!! | 1100 |
| 31' DRILL PIPE | 4 | 14.00 | S135 | XT39 | 0-25% (PREM/YB) | 4 11/16 - 4 7/8 | | 180 |
| 31' DRILL PIPE | 4 | 14.00 | G105 | FH | PREMIUM | 5 1/8 - 5 1/4 | HB/IPC | 336 |
| 31' DRILL PIPE | 4 | 14.00 | S135 | FH | PREMIUM | 5 1/8 - 5 1/4 | HB/IPC | 448 |
| 31' DRILL PIPE | 4 1/2 | 16.60 | X95 | NC46 | PREMIUM | 5 7/8 - 6 1/8 | | 145 |
| 31' DRILL PIPE | 4 1/2 | 16.60 | G105 | NC46 | PREMIUM | 6 - 6 1/8 | HB/IPC | 315 |
| 31' DRILL PIPE | 4 1/2 | 16.60 | S135 | NC46 | PREMIUM | 5 7/8 - 5 15/16 | | 207 |
| 31' DRILL PIPE | 4 1/2 | 16.60 | S135 | NC46 | PREMIUM | 6 - 6 1/16 | HB | 400 |
| 31' DRILL PIPE | 4 1/2 | 16.60 | S135 | NC46 | PREMIUM | 6 1/8 - 6 1/4 | HB | 438 |
| 31' DRILL PIPE | 4 1/2 | 20.00 | X / G | NC46 | PREMIUM | 6 - 6 1/4 | HB | 267 |
| 31' DRILL PIPE | 4 1/2 | 20.00 | G105 | NC46 | PREMIUM | 5 7/8 - 5 15/16 | | 79 |
| 31' DRILL PIPE | 4 1/2 | 20.00 | G105 | NC46 | PREMIUM | 6 - 6 1/4 | | 305 |
| 31' DRILL PIPE | 4 1/2 | 16.60 | G105 | NC46 | NEW T.S.C. | 6 1/4 | HB/IPC | 1290 |
| 31' DRILL PIPE | 4 1/2 | 16.60 | S135 | NC46 | NEW G.PRIDECO | 6 1/4 | HB/IPC | 1584 |



TUBULAR INVENTORY
 E AND M SUPPLY GROUP
 337-332-0239
 drillpipesupply.com

| | | | | | | | | |
|------------------|-------|------------|------|---------------|------------|-----------------|------------------|---------------|
| 31' DRILL PIPE | 4 1/2 | 20.00 | X95 | NC46 | NEW T.S.C. | 6 1/4 | HB/IPC | 217 |
| 45.5' DRILL PIPE | 4 1/2 | 16.60 | S135 | DS46 | NEW T.S.C. | 6 1/4 | RANGE 3 / IPC | 260 |
| 31' DRILL PIPE | 5 | 19.50 | S135 | NC50 | PREMIUM | STD. LENGTH | HB/IPC | 125 |
| 31' DRILL PIPE | 5 | 19.50 | S135 | NC50 | PREMIUM | 6 1/2 - 6 5/8 | HB/IPC | 1226 |
| 31' DRILL PIPE | 5 | 25.60 | S135 | NC50 | PREMIUM | 6 7/16 - 6 5/8 | | 651 |
| 31' DRILL PIPE | 5 | 25.60 | S135 | 4 1/2 IF D.S. | PREMIUM | 6 7/16 - 6 5/8 | | 498 |
| 31' DRILL PIPE | 5 | 34.00 | S135 | NC50 | PREMIUM | 6 1/2 - 6 5/8 | HB/IPC | 269 |
| 31' DRILL PIPE | 5 | 19.50 | G105 | NC50 | NEW USA | 6 5/8 | IPC | 1525 |
| 31' DRILL PIPE | 5 | 19.50 | G105 | NC50 | NEW JAPAN | 6 5/8 | PLAIN | 1352 |
| 31' DRILL PIPE | 5 | 19.50 | S135 | NC50 | NEW | 6 5/8 | HB/IPC | 715 |
| 42.5' DRILL PIPE | 5 | 19.50 | S135 | NC50 | PREMIUM | 6 1/2 - 6 5/8 | RANGE 3 / HB/IPC | 276 |
| 31' DRILL PIPE | 5 1/2 | 24.70 | G105 | FH | PREMIUM | 7 1/8 X 3 1/2 | | 348 |
| 31' DRILL PIPE | 5 1/2 | 24.70 | S135 | FH | PREMIUM | 7 X 3 3/4 | | 260 |
| 31' DRILL PIPE | 5 1/2 | 24.70 | S135 | FH D.S. | NEW | 7 1/2 | MAKE/BREAK | 300 - ETA JAN |
| 31' DRILL PIPE | 5 1/2 | 24.70 | S135 | FH | NEW | 7 1/2 | MAKE/BREAK | 300 - ETA JAN |
| 31' DRILL PIPE | 5 7/8 | 23.40 | S135 | CTM57 | PREMIUM | 7 OD X 4 1/4 ID | SPECIAL PRICE | 365 |
| 31' DRILL PIPE | 5 7/8 | 23.40 | S135 | XT57 | PREMIUM | 7 OD X 4 1/4 ID | SPECIAL PRICE | 481 |
| 31' DRILL PIPE | 5 7/8 | 28.70 | S135 | CTM57 | PREMIUM | 7 OD X 4 1/4 ID | SPECIAL PRICE | 118 |
| 31' DRILL PIPE | 6 5/8 | 27.70 | S135 | 5 1/2 FH D.S. | NEW | 7 1/2 X 3 1/2 | MAKE/BREAK | 250 |
| 31' DRILL PIPE | 6 5/8 | 34.01 | S135 | 5 1/2 FH D.S. | NEW | 7 1/2 X 3 1/2 | MAKE/BREAK | 250 - 4 WKS |
| 31' DRILL PIPE | 6 5/8 | 27.70 | S135 | 6 5/8 FH | PREMIUM | 8 OD X 5 ID | | 62 |
| 31' DRILL PIPE | 6 5/8 | 27.70 | S135 | 6 5/8 FH | PREMIUM | 8 1/4 - 8 1/2 | | 623 |
| 31' DRILL PIPE | 6 5/8 | 27.70 | S135 | 6 5/8 FH | NEW | 8 1/2 X 4 1/2 | MAKE/BREAK | 295 |
| 31' DRILL PIPE | 6 5/8 | 34.01 | S135 | 6 5/8 FH D.S. | NEW | 8 1/2 X 4 1/4 | MAKE/BREAK | 250 |
| 31' DRILL PIPE | 7 5/8 | 33 (OR) 38 | S135 | 6 5/8 FH D.S. | NEW | 8 1/4 X 4 | MAKE/BREAK | 500 - 4 MOS |

| TYPE | OD | WALL | TJ ID | CONNS | CLASS | TJ OD | LENGTH |
|----------------|-------|-----------|---------|---------------|-------|-------|---------------|
| WATER WELL ROD | 4.5 | 0.337 | 2 1/8 | 2 7/8 IF FJ | NEW | 4 1/2 | 20' |
| WATER WELL ROD | 5.5 | 0.362 | 2 11/16 | 3 1/2 IF FJ | NEW | 4 3/4 | 20' |
| WATER WELL ROD | 5.5 | .362/.478 | 1 1/2 | 3 1/2 REG FJ | NEW | 4 1/2 | 20' |
| WATER WELL ROD | 4.5 | 0.337 | 2 1/4 | 3 1/2 REG | NEW | 5 1/2 | 20' |
| WATER WELL ROD | 3 1/2 | 0.368 | 1 5/8 | 2 3/8 IF FJ | NEW | 3 1/2 | 20' |
| WATER WELL ROD | 2 7/8 | 0.276 | 1 5/8 | 2 3/8 IF | NEW | 3 1/2 | 20' |
| WATER WELL ROD | 2 3/8 | .280/.254 | 1 5/8 | 2 3/8 IF | NEW | 3 1/2 | 10', 15', 20' |
| WATER WELL ROD | 2 3/8 | .280/.254 | 1 1/2 | 2 3/8 FEDP | NEW | 3 1/8 | 10', 15', 20' |
| WATER WELL ROD | 2 7/8 | 0.276 | 3 1/4 | 2 7/8 FEDP | NEW | 3 3/4 | 10', 15', 20' |
| WATER WELL ROD | 2 3/8 | 0.190 | 1 1/2 | MAYHEW JR | NEW | 2 3/4 | 5', 10' |
| WATER WELL ROD | 2 3/8 | .280/.254 | 1 1/2 | MAYHEW JR | NEW | 2 7/8 | 10', 15', 20' |
| WATER WELL ROD | 2 7/8 | 0.276 | 3 1/4 | 2 7/8 FEDP | NEW | 3 3/4 | 10', 15', 20' |
| WATER WELL ROD | 3 1/2 | 0.368 | 1 1/2 | MAYHEW REG FJ | NEW | 3 1/2 | 20' |



| | | | | | | | |
|----------------|-------|-----------|-------|------------|-----|-------|---------------|
| WATER WELL ROD | 2 3/8 | .280/.254 | 1 1/2 | MAYHEW REG | NEW | 2 7/8 | 10', 15', 20' |
| WATER WELL ROD | 1 3/4 | 0.188 | 5/8 | AWJ / AW | NEW | 1 3/4 | 5', 10' |
| WATER WELL ROD | 1 3/4 | 0.250 | 5/8 | AWJ / AW | NEW | 1 3/4 | 5', 10' |
| WATER WELL ROD | 2 5/8 | 0.188 | | AWJ / AW | NEW | 2 5/8 | 5', 10' |
| WATER WELL ROD | 2 5/8 | 0.250 | | AWJ / AW | NEW | 2 5/8 | 5', 10' |
| DRILL COLLAR | 10 | | SLICK | BLANK | NEW | 5" ID | 31' |
| DRILL COLLAR | 11 | | SLICK | BLANK | NEW | 6" ID | 31' |

| TYPE | OD | ID | STYLE | CONN | CLASS | OD RANGE | NOTES | QUANTITY |
|---------------|---------------|-----------------|--------|-----------|--------------|-----------------|--------------|----------|
| DRILL COLLARS | 3 1/8 | 1 1/4 | SLICK | 2 3/8 PAC | NEW | 3 1/8 | | 38 |
| DRILL COLLARS | 3 1/8 | 1 1/4 | SLICK | BLANK | NEW | 3 1/8 | | 10 |
| DRILL COLLARS | 3 1/8 | 1 1/2 | SLICK | 2 7/8 PAC | NEW | 3 1/8 | | 13 |
| DRILL COLLARS | 3 1/8 | 1 1/2 | SLICK | BLANK | NEW | 3 1/8 | | 35 |
| DRILL COLLARS | 3 1/2 | 1 1/2 | SLICK | BLANK | PREMIUM | 3 1/2 | | 30 |
| DRILL COLLARS | 4 1/8 | 2 | SLICK | BLANK | NEW | 4 1/8 | | 19 |
| DRILL COLLARS | 4 1/2 | 2 | SPIRAL | 3 1/2 XH | PREMIUM | 4 1/2 | SLIP/ELEV | 8 |
| DRILL COLLARS | 4 3/4 | 2 | SLICK | BLANK | NEW | 4 3/4 | | 19 |
| DRILL COLLARS | 4 3/4 | 2 1/4 | SPIRAL | NC38 | PREMIUM | 4 11/16 - 4 3/4 | SLIP/ELEV | 25 |
| DRILL COLLARS | 4 3/4 | 2 1/4 | SLICK | NC38 | NEW | 4 3/4 | SLIP | 60 |
| DRILL COLLARS | 4 3/4 | 2 1/4 | SPIRAL | NC38 | NEW | 4 3/4 | SLIP | 23 |
| DRILL COLLARS | 4 7/8 | 2 1/4 | SPIRAL | BLANK | NEW | 4 7/8 | | 28 |
| DRILL COLLARS | 5 1/4 | 2 1/4 - 2 11/16 | SLICK | BLANK | NEW | 5 1/4 | | 15 |
| DRILL COLLARS | 5 1/2 - 6 | 2 3/8 - 2 5/8 | SLICK | MISC | USED / STOCK | | | 40 |
| DRILL COLLARS | 6 1/16 | 2 3/8 | SLICK | NC46 | PREMIUM | 6 - 6 1/8 | SLIP/ELEV/HB | 24 |
| DRILL COLLARS | 6 1/4 | 2 3/8 | SLICK | NC46 | PREMIUM | 6 1/8 - 6 5/16 | | 46 |
| DRILL COLLARS | 6 1/4 | 2 1/4 | SLICK | NC46 | NEW | 6 1/4 | SLIP | 131 |
| DRILL COLLARS | 6 1/2 | 2 7/8 | SPIRAL | NC46/NC50 | PREMIUM | 6 3/8 - 6 1/2 | | 16 |
| DRILL COLLARS | 6 1/2 | 2 3/8 | SLICK | NC46 | PREMIUM | 6 3/8 - 6 1/2 | | 45 |
| DRILL COLLARS | 6 1/2 | 2 3/8 | SPIRAL | NC46 | PREMIUM | 6 3/8 - 6 1/2 | | 33 |
| DRILL COLLARS | 6 1/2 | 2 1/4 | SLICK | NC46 | NEW | 6 1/2 | SLIP | 56 |
| DRILL COLLARS | 6 1/2 | 2 13/16 | SLICK | BLANK | NEW | 6 1/2 | | 15 |
| DRILL COLLARS | 6 3/4 | 2 13/16 | SPIRAL | 4 1/2 IF | PREMIUM | 6 3/4 | | 12 |
| DRILL COLLARS | 6 3/4 | 2 13/16 | SLICK | BLANK | NEW | 6 3/4 | | 10 |
| DRILL COLLARS | 6 7/8 | 2 3/8 | SLICK | 5 1/2 REG | PREMIUM | 6 7/8 | | 18 |
| DRILL COLLARS | 7 | 2 7/8 | SPIRAL | NC50 | PREMIUM | 6 7/8 - 7 1/4 | | 19 |
| DRILL COLLARS | 6 3/4 - 7 1/2 | 2 3/8 - 3 | SLICK | MISC | USED / STOCK | | | 30 |
| DRILL COLLARS | 7 1/4 | 2 13/16 | SLICK | BLANK | NEW | 7 1/4 | | 10 |



| | | | | | | | | |
|---------------|---------------|-----------|--------|------------|--------------|---------------|------|----|
| DRILL COLLARS | 8 | 2 7/8 | SPIRAL | REG | PREMIUM | 7 7/8 - 8 | | 23 |
| DRILL COLLARS | 8 | 2 13/16 | SLICK | BLANK | NEW | 8 | | 0 |
| DRILL COLLARS | 8 | 2 13/16 | SLICK | REG | NEW | 8 | SLIP | 27 |
| DRILL COLLARS | 8 | 2 13/16 | SPIRAL | REG | NEW | 8 | SLIP | 18 |
| DRILL COLLARS | 8 1/4 | 2 7/8 | SPIRAL | REG | PREMIUM | 8 1/8 - 8 1/4 | | 4 |
| DRILL COLLARS | 8 1/4 | 2 13/16 | SLICK | BLANK | NEW | | | 11 |
| DRILL COLLARS | 7 5/8 - 8 7/8 | 2 3/8 - 3 | SLICK | MISC | USED / STOCK | | | 16 |
| DRILL COLLARS | 9 1/2 | 3 | SPIRAL | 7 5/8" REG | USED | 9 1/4 - 9 1/2 | | 0 |
| DRILL COLLARS | 9 1/2 | 2 13/16 | SPIRAL | 7 5/8 REG | NEW | 9 1/2 | | 10 |
| DRILL COLLARS | 9 1/2 | 3 | SLICK | BLANK | NEW | 9 1/2 | | 7 |
| DRILL COLLARS | 10 | 3 | SLICK | 8 5/8 REG | USED | 9 7/8 - 10 | | 3 |
| DRILL COLLARS | 11 | 6 | SLICK | CHOICE | NEW | 11 | | 4 |

| TYPE | OD | STYLE | CONN | CLASS | OD RANGE | NOTES | QTY |
|--------------|-------|--------|------|---------|---------------|-------|---------|
| HEAVY-WEIGHT | 3 1/2 | CONV | NC38 | PREMIUM | 4 5/8 - 4 7/8 | | 14 |
| HEAVY-WEIGHT | 3 1/2 | CONV | NC38 | REMAN | 4 7/8 | | 30 |
| | | | | | | | 4 WEEKS |
| HEAVY-WEIGHT | 4 | CONV | XT39 | PREMIUM | 4 13/16 - 7/8 | | 8 |
| HEAVY-WEIGHT | 4 1/2 | CONV | NC46 | PREMIUM | 5 7/8 - 6 | | 8 |
| HEAVY-WEIGHT | 4 1/2 | CONV | NC46 | PREMIUM | 6 - 6 3/8 | | 5 |
| HEAVY-WEIGHT | 4 1/2 | CONV | NC46 | REMAN | 6 3/8 | | 28 |
| HEAVY-WEIGHT | 4 1/2 | SPIRAL | NC46 | REMAN | 6 3/8 | | 22 |
| HEAVY-WEIGHT | 4 1/2 | CONV | DS40 | REMAN | 6 3/8 | | 30 |
| HEAVY-WEIGHT | 5 | CONV | NC50 | PREMIUM | 6 3/8 - 6 5/8 | | 0 |
| HEAVY-WEIGHT | 5 | CONV | NC50 | REMAN | 6 5/8 | | 30 |
| HEAVY-WEIGHT | 5 | CONV | NC50 | NEW | 6 5/8 | | 29 |
| HEAVY-WEIGHT | 5 | SPIRAL | NC50 | REMAN | 6 5/8 | | 25 |
| HEAVY-WEIGHT | 5 1/2 | CONV | FH | PREMIUM | 7 1/8 - 7 1/2 | | 44 |

| TYPE | OD | STYLE | LENGTH | CLASS | PIN CONN | NOTES | QTY |
|-------|-------|--------|--------|---------|----------|-------|-----|
| KELLY | 3 1/2 | SQUARE | 40 | NEW | 2 7/8 IF | | 1 |
| KELLY | 3 1/2 | HEX | 40 | NEW | 2 7/8 IF | | 1 |
| KELLY | 4 1/4 | HEX | 40 | PREMIUM | 3 1/2 IF | 85% | 1 |
| KELLY | 4 1/4 | HEX | 40 | NEW | 3 1/2 IF | | 2 |
| KELLY | 4 1/4 | HEX | 46 | NEW | 3 1/2 IF | | 3 |
| KELLY | 4 1/4 | SQUARE | 40 | NEW | 4 1/2 XH | | 1 |
| KELLY | 5 1/4 | HEX | 40 | PREMIUM | 4 1/2 XH | 80% | 1 |
| KELLY | 5 1/4 | HEX | 38 | NEW | 4 1/2 XH | | 1 |
| KELLY | 5 1/4 | HEX | 40 | NEW | 4 1/2 XH | | 7 |
| KELLY | 5 1/4 | HEX | 40 | NEW | 4 1/2 XH | | 3 |
| KELLY | 5 1/4 | HEX | 46 | NEW | 4 1/2 XH | | 3 |

| TYPE | OD | NECK | LENGTH | CLASS | QTY |
|------|----|------|--------|-------|-----|
|------|----|------|--------|-------|-----|



| | | | | | | |
|-----------------|--------|-------|-----|-----|----|-----------------|
| STABILIZER BODY | 8 1/2 | 6 3/4 | 76 | NEW | 15 | OFF CENTER NECK |
| STABILIZER BODY | 10 5/8 | 8 1/4 | 85 | NEW | 7 | |
| STABILIZER BODY | 12 1/4 | 8 1/4 | 100 | NEW | 53 | |
| STABILIZER BODY | 14 3/4 | 9 1/2 | 105 | NEW | 12 | |
| STABILIZER BODY | 16 | 9 1/2 | 100 | NEW | 1 | |
| STABILIZER BODY | 16 3/8 | 9 1/2 | 105 | NEW | 10 | |
| STABILIZER BODY | 17 1/2 | 8 1/4 | 100 | NEW | 23 | |
| STABILIZER BODY | 17 1/2 | 9 1/2 | 100 | NEW | 3 | |
| STABILIZER BODY | 17 1/2 | 9 1/2 | 105 | NEW | 10 | OFF CENTER NECK |
| STABILIZER BODY | 26 | 9 1/2 | 116 | NEW | 5 | |