



	A	B	C	D	E	F	G	H	I
1									
2									
3									
4	TYPE	SIZE	WEIGHT	GRADE	CONNS	CLASS	TJ DIM	NOTES	JOINTS
5									
6	31' DRILL PIPE	2 7/8	10.40	S135	PAC	PREMIUM	3 1/8		144
7									
8	31' DRILL PIPE	3 1/2	13.30	S135	NC38	PREMIUM	4 7/8 - 5	HB	2317
9	31' DRILL PIPE	3 1/2	15.50	G105	NC38	PREMIUM	4 7/8 - 5	HB/IPC	1993
10	31' DRILL PIPE	3 1/2	15.50	S135	NC38	PREMIUM	5	HB/IPC	1814
11									
12	31' DRILL PIPE	4	14.00	S135	XT39	PREMIUM	4 13/16 - 4 7/8		1141
13	31' DRILL PIPE	4	14.00	G105	FH	PREMIUM	5 1/8 - 5 1/4	HB/IPC	203
14	31' DRILL PIPE	4	14.00	S135	FH	PREMIUM	5 1/8 - 5 1/4	HB/IPC	1130
15									
16	31' DRILL PIPE	4 1/2	16.60	X95	NC46	PREMIUM	5 7/8 - 6 1/8		164
17	31' DRILL PIPE	4 1/2	16.60	G105	NC46	PREMIUM	6 - 6 1/4	HB/IPC	676
18	31' DRILL PIPE	4 1/2	16.60	S135	NC46	PREMIUM	6 - 6 1/4	HB/IPC	3442
19	31' DRILL PIPE	4 1/2	20.00	X95	NC46	PREMIUM	6 - 6 1/4	HB	13
20	31' DRILL PIPE	4 1/2	20.00	G105	NC46	PREMIUM	5 7/8 - 5 15/16		79
21	31' DRILL PIPE	4 1/2	20.00	G105	NC46	PREMIUM	6 - 6 1/4		305
22	31' DRILL PIPE	4 1/2	16.60	G105	NC46	NEW	6 1/4	HB/IPC	1054
23	31' DRILL PIPE	4 1/2	16.60	S135	NC46	NEW	6 1/4	HB/IPC	323
24	31' DRILL PIPE	4 1/2	20.00	X95	NC46	NEW	6 1/4	HB/IPC	153
25									
26	RG3 DRILL PIPE	4 1/2	16.60	G105	NC46	NEW	6 1/4	RANGE 3	118
27									
28	31' DRILL PIPE	5	19.50	S135	XT50	PREMIUM	6 1/2 X 3 3/4	DRILL & LEAVE	224
29									
30	20' DRILL ROD	5	.362W	S135	DS50	NEW	6 5/8	20' LONG	155
31	20' DRILL ROD	5	.362W	S135	NC50	NEW	6 5/8	20' LONG	155
32									
33	31' DRILL PIPE	5	19.50	G105	NC50	PREMIUM	6 1/2 - 6 5/8	HB/IPC	685
34	31' DRILL PIPE	5	19.50	S135	NC50	PREMIUM	6 1/2 - 6 5/8	HB/IPC	315
35	31' DRILL PIPE	5	25.60	S135	NC50	PREMIUM	6 7/16 - 6 5/8		73
36	31' DRILL PIPE	5	34.00	S135	NC50	PREMIUM	6 1/2 - 6 5/8	HB/IPC	89
37									
38	RG3 DRILL PIPE	5	19.50	S135	NC50	PREMIUM	6 1/2 - 6 5/8	RANGE 3 / HB/IPC	345
39									
40	31' DRILL PIPE	5 1/2	21.90	S135	DS55	PREMIUM	7 X 4		354
41	31' DRILL PIPE	5 1/2	21.90	S135	FH	PREMIUM	7 X 3 1/2		381
42	31' DRILL PIPE	5 1/2	21.90	S135	DS55	PREMIUM	7 X 3 1/2		118
43	31' DRILL PIPE	5 1/2	21.90	S135	HT55	PREMIUM	7 X 4	DRILL & LEAVE	199
44									
45	31' DRILL PIPE	5 1/2	24.70	S135	HT55	PREMIUM	7 X 4	DRILL & LEAVE	40
46	31' DRILL PIPE	5 1/2	24.70	S135	FH	PREMIUM	7 1/4 - 7 1/2 x 3		175
47	31' DRILL PIPE	5 1/2	24.70	S135	FH	PREMIUM	7 1/4 - 7 1/2 x 3 1/2		207
48	31' DRILL PIPE	5 1/2	24.70	S135	DS55	NEW	7 1/2 X 3 1/2		141
49	31' DRILL PIPE	5 1/2	24.70	S135	FH	NEW	7 1/2 X 3 1/2		141
50									
51	31' DRILL PIPE	5 7/8	MIXED	S135	CTM57	PREMIUM	7 OD X 4 1/4 ID	DRILL & LEAVE	236
52	31' DRILL PIPE	5 7/8	23.40	S135	CTM57	PREMIUM	7 OD X 4 1/4 ID		284
53	31' DRILL PIPE	5 7/8	28.70	S135	CTM57	PREMIUM	7 OD X 4 1/4 ID		144
54									
55	31' DRILL PIPE	5 7/8	23.40	S135	XT57	PREMIUM	7 OD X 4 1/4 ID		290
56	31' DRILL PIPE	5 7/8	26.30	S135	XT57	PREMIUM	7 OD X 4 1/4 ID		46
57									
58	31' DRILL PIPE	6 5/8	27.70	S135	5 1/2 FH D.S.	NEW	7 1/2 X 3 1/2	MAKE/BREAK	320
59									



	A	B	C	D	E	F	G	H	I
60	31' DRILL PIPE	6 5/8	27.70	S135	6 5/8 FH	PREMIUM	8 X 5	DRILL & LEAVE	56
61	31' DRILL PIPE	6 5/8	27.70	S135	6 5/8 FH	PREMIUM	8 1/4 - 8 1/2 X 4 1/4		67
62	31' DRILL PIPE	6 5/8	34.01	S135	6 5/8 FH	PREMIUM	8 3/8 - 8 1/2 X 4 1/4		365
63	31' DRILL PIPE	6 5/8	40.00	S135	6 5/8 FH	PREMIUM	8 3/8 - 8 1/2 X 4 1/4		140
64									
65	31' DRILL PIPE	6 5/8	27.70	S135	6 5/8 FH D.S.	NEW	8 1/2 X 4 1/2	MAKE/BREAK	457
66	31' DRILL PIPE	6 5/8	34.01	S135	6 5/8 FH D.S.	NEW	8 1/2 X 4 1/4	MAKE/BREAK	199
67									
68									
69	TYPE	OD	ID	STYLE	CLASS	QUANTITY			
70	NON MAG DC	4 3/4	2 1/4	SLICK	NEW	1			
71	NON MAG DC	4 3/4	2 11/16	SLICK	NEW	1			
72									
73	NON MAG DC	5	CHOICE	SLICK	NEW	1			
74									
75	NON MAG DC	5 7/8	2 13/16	SLICK	PREMIUM	3			
76	NON MAG DC	6	2 13/16	SLICK	PREMIUM	2			
77									
78	NON MAG DC	6 1/4	2 7/8	SLICK	PREMIUM	1			
79									
80	NON MAG DC	6 1/2	2 13/16	SLICK	PREMIUM	5			
81	NON MAG DC	6 1/2	2 13/16	SLICK	NEW	1			
82	NON MAG DC	6 1/2	3 1/4	SLICK	NEW	1			
83									
84	NON MAG DC	6 3/4	2 13/16	SLICK	NEW	1			
85	NON MAG DC	6 3/4	3 1/4	SLICK	NEW	1			
86									
87	NON MAG DC	7 1/4	2 13/16	SLICK	NEW	1			
88									
89	NON MAG DC	8	2 13/16	SLICK	NEW	1			
90	NON MAG DC	8	3 1/4	SLICK	NEW	1			
91									
92	NON MAG DC	8 1/4	2 13/16	SLICK	NEW	1			
93	NON MAG DC	8 1/4	3 1/4	SLICK	NEW	1			
94									
95	NON MAG DC	9 1/2	CHOICE	SLICK	NEW	1			
96									
97									
98									
99	TYPE	OD	ID	STYLE	CONN	CLASS	OD RANGE	NOTES	JOINTS
100	DRILL COLLARS	3 1/8	1 1/4	SPIRAL	2 3/8 REG	USED	3 1/16		15
101	DRILL COLLARS	3 1/8	1 1/2	SPIRAL	2 7/8 PAC	USED	3 1/16		32
102	DRILL COLLARS	3 1/8	1 1/4	SLICK	2 3/8 PAC	NEW	3 1/8		17
103	DRILL COLLARS	3 1/8	1 1/4	SLICK	2 3/8 REG	NEW	3 1/8		5
104	DRILL COLLARS	3 1/8	1 1/2	SLICK	2 7/8 PAC	NEW	3 1/8	SEPT 2022	36
105									
106	DRILL COLLARS	3 1/2	1 1/2	SLICK	2 3/8 REG	NEW	3 1/8	DEC 2022	50
107									
108	DRILL COLLARS	4 1/8	2	SLICK	BLANK	NEW	4 1/8		16
109									
110	DRILL COLLARS	4 1/2	SOLID	SLICK	BLANK	NEW	4 1/2		7
111									
112	DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	PREMIUM	4 3/4	USER FRIENDLY	18
113	DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	PREMIUM	4 5/8 - 4 3/4	SLIP	31
114	DRILL COLLARS	4 3/4	2 1/4	SLICK	NC38	NEW	4 3/4	DEC 2022	43
115	DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	NEW	4 3/4	SLIP/ELEVATOR	19
116	DRILL COLLARS	4 3/4	2 1/4	SPIRAL	NC38	NEW	4 3/4	SLIP	14
117									
118	DRILL COLLARS	4 7/8	2 1/4	SLICK	3 1/2 JF	PREMIUM	4 7/8		90



TUBULAR INVENTORY  
E M SUPPLY GROUP  
337-332-0239  
drillpipesupply.com

	A	B	C	D	E	F	G	H	I
119	DRILL COLLARS	4 7/8	2 1/4	SPIRAL	3 1/2 IF	PREMIUM	4 7/8		17
120	DRILL COLLARS	4 7/8	2 1/4	SPIRAL	3 1/2 IF	NEW	4 7/8		13
121									
122	DRILL COLLARS	5 1/2 - 6	2 3/8 - 2 5/8	SLICK	MISC	USED / STOCK			29
123									
124	DRILL COLLARS	6	2 3/8	SLICK	NC46	PREMIUM	6 - 6 1/8		46
125	DRILL COLLARS	6	2 1/4	SLICK	BLANK	NEW	6		3
126	DRILL COLLARS	6	1 1/2	SLICK	BLANK	NEW	6		1
127	DRILL COLLARS	6 1/4	2 3/8	SLICK	NC46	PREMIUM	6 1/8 - 6 5/16		25
128	DRILL COLLARS	6 1/4	2 1/4	SLICK	BLANK/NC46	NEW	6 1/4		54
129	DRILL COLLARS	6 1/4	2 1/4	SPIRAL	NC46	NEW	6 1/4		18
130									
131	DRILL COLLARS	6 1/2	2 7/8	SPIRAL	NC46/NC50	PREMIUM	6 3/8 - 6 1/2		14
132	DRILL COLLARS	6 1/2	2 3/8	SLICK	NC46	PREMIUM	6 3/8 - 6 1/2		34
133	DRILL COLLARS	6 1/2	2 3/8	SPIRAL	NC46	PREMIUM	6 3/8 - 6 1/2		21
134	DRILL COLLARS	6 1/2	2 1/4	SLICK	NC46	NEW	6 1/2	SLIP	24
135	DRILL COLLARS	6 1/2	2 13/16	SLICK	NC46/NC50	NEW	6 1/2		30
136	DRILL COLLARS	6 1/2	2 13/16	SLICK	NC50	NEW	6 1/2		5
137									
138	DRILL COLLARS	6 3/4	2 7/8	SPIRAL	NC50	USED	6 3/4		16
139	DRILL COLLARS	6 3/4	2 13/16	SLICK	BLANK	NEW	6 3/4	130 MIN YIELD	12
140	DRILL COLLARS	6 3/4	2 13/16	SLICK	NC50	NEW	6 3/4		2
141									
142	DRILL COLLARS	6 7/8	2 3/8	SLICK	NC46	PREMIUM	6 7/8		18
143	DRILL COLLARS	7	2 7/8	SPIRAL	NC50	PREMIUM	6 7/8 - 7 1/4		19
144									
145	DRILL COLLARS	6 3/4 - 7 3/4	2 3/8 - 3 1/8	SLICK	MISC	USED / STOCK			50
146									
147	DRILL COLLARS	7 3/4	2 7/8	SLICK	REG	PREMIUM	7 1/2 - 7 13/16		51
148	DRILL COLLARS	8	2 7/8	SLICK	REG	PREMIUM	7 7/8 - 8		26
149	DRILL COLLARS	8	2 7/8	SPIRAL	REG	PREMIUM	7 7/8 - 8		15
150	DRILL COLLARS	8	2 13/16	SLICK	NC56	NEW	8		24
151	DRILL COLLARS	8	2 13/16	SLICK	REG	NEW	8	SLIP	55
152	DRILL COLLARS	8	2 13/16	SPIRAL	REG	NEW	8	SLIP	15
153	DRILL COLLARS	8	2 13/16	SPIRAL	REG	NEW	8	SLIP/ELEVATOR	42
154									
155	DRILL COLLARS	8 1/4	2 13/16	SLICK	REG	NEW	8 1/4	DEC 2022	9
156									
157	DRILL COLLARS	8 1/2	2 7/8	SPIRAL	REG	PREMIUM	8 1/2	W/ HB	6
158									
159	DRILL COLLARS	8 - 10	2 3/8 - 3 1/8	SLICK	MISC	USED / STOCK			50
160									
161	DRILL COLLARS	9 1/2	3	SPIRAL	7 5/8 REG	USED	9 3/8 - 9 5/8		11
162	DRILL COLLARS	9 1/2	3	SLICK	7 5/8" REG	NEW	9 1/2		8
163	DRILL COLLARS	9 1/2	2 13/16	SPIRAL	7 5/8" REG	NEW	9 1/2	SLIP/ELEVATOR	11
164									
165	DRILL COLLARS	10	3 - 3 1/4	SPIRAL	7 5/8" REG	PREMIUM	10	SLIP	17
166									
167	DRILL COLLARS	10 1/2	CHOICE/ANY	SLICK	BLANK	NEW	10 1/2	16' - 21' LENGTHS	8
168									
169	DRILL COLLARS	12	CHOICE/ANY	SLICK	BLANK	NEW	12	18' L	1
170	DRILL COLLARS	14	CHOICE/ANY	SLICK	BLANK	NEW	14	15' L	1
171	DRILL COLLARS	17	CHOICE/ANY	SLICK	BLANK	NEW	17	19' L	4
172	DRILL COLLARS	19	CHOICE/ANY	SLICK	BLANK	NEW	19	14' L	1
173									
174	TYPE	OD	STYLE	CONN	CLASS	OD RANGE	NOTES	QTY	
175	HEAVY-WEIGHT	3 1/2	CONV	NC38	PREMIUM	4 5/8 - 4 7/8		24	
176	HEAVY-WEIGHT	3 1/2	SPIRAL	NC38	PREMIUM	4 7/8		60	
177									



	A	B	C	D	E	F	G	H	I
178	HEAVY-WEIGHT	4	SPIRAL	4 FH	PREMIUM	5 1/8 - 5 1/4		19	
179									
180	HEAVY-WEIGHT	4	CONV	XT39	PREMIUM	4 7/8		49	
181	HEAVY-WEIGHT	4	CONV	XT39	PREMIUM	4 7/8		41	
182	HEAVY-WEIGHT	4	CONV	VX39	PREMIUM	4 7/8		55	
183									
184	HEAVY-WEIGHT	4 1/2	CONV	NC46	REMAN	6 3/8		28	
185	HEAVY-WEIGHT	4 1/2	SPIRAL	NC46	REMAN	6 3/8		22	
186	HEAVY-WEIGHT	4 1/2	CONV	DS40	REMAN	6 3/8		30	
187									
188	HEAVY-WEIGHT	5	CONV	NC50	PREMIUM	6 1/2 - 6 5/8		31	
189	HEAVY-WEIGHT	5	CONV	NC50	REMAN	6 5/8		30	
190	HEAVY-WEIGHT	5	CONV	NC50	NEW	6 5/8		38	
191	HEAVY-WEIGHT	5	SPIRAL	NC50	REMAN	6 5/8		25	
192									
193	HEAVY-WEIGHT	5 1/2	CONV	DS55	PREMIUM	6 15/16 - 7		73	
194	HEAVY-WEIGHT	5 1/2	CONV	FH	PREMIUM	7 1/8 - 7 1/2		118	
195									
196	HEAVY-WEIGHT	5 7/8	CONV	XT57	PREMIUM	6 7/8 - 7		39	
197									
198	HEAVY-WEIGHT	6 5/8	CONV	FH	PREMIUM	8 1/4 - 8 1/2		24	
199									
200									
201									
202									
203	TYPE	OD	STYLE	LENGTH	CLASS	PIN CONN	NOTES	QTY	
204	KELLY	3 1/2	SQUARE	40	NEW	2 7/8 IF		1	
205	KELLY	3 1/2	HEX	40	NEW	2 7/8 IF		1	
206									
207	KELLY	4 1/4	HEX	40	PREMIUM	3 1/2 IF	85%	1	
208	KELLY	4 1/4	HEX	40	NEW	3 1/2 IF		2	
209	KELLY	4 1/4	HEX	46	NEW	3 1/2 IF		3	
210	KELLY	4 1/4	SQUARE	40	NEW	4 1/2 XH		1	
211									
212	KELLY	5 1/4	HEX	40	PREMIUM	4 1/2 XH	80%	1	
213	KELLY	5 1/4	HEX	38	NEW	4 1/2 XH		1	
214	KELLY	5 1/4	HEX	40	NEW	4 1/2 XH		7	
215	KELLY	5 1/4	HEX	40	NEW	4 1/2 XH		3	
216	KELLY	5 1/4	HEX	46	NEW	4 1/2 XH		3	
217									
218	KELLY	6	SQUARE	40	PREMIUM	4 1/2 IF		2	
219									
220									
221	TYPE	OD	NECK	CLASS	QTY				
222									
223	STABILIZER BODY	8 1/2	6 3/4	NEW	7				
224									
225	STABILIZER BODY	10 5/8	8 1/4	NEW	10				
226									
227	STABILIZER BODY	12 1/4	8 1/4	NEW	14				
228	STABILIZER BODY	12 1/4	9 1/2	NEW	12				
229									
230	STABILIZER BODY	14 3/4	9 1/2	NEW	2				
231									
232	STABILIZER BODY	16	8 1/4	NEW	4				
233	STABILIZER BODY	16	9 1/2	NEW	8				
234									
235	STABILIZER BODY	16 3/8	9 1/2	NEW	12				
236									



	A	B	C	D	E	F	G	H	I
237	STABILIZER BODY	17 1/2	8 1/4	NEW	13				
238	STABILIZER BODY	17 1/2	9 1/2	NEW	8				
239									
240	STABILIZER BODY	20	9 1/2	NEW	2				
241									
242	STABILIZER BODY	24	9 1/2	NEW	2				
243									
244	STABILIZER BODY	26	9 1/2	NEW	11				
245									
246	STABILIZER BODY	36	9 1/2	NEW	2				
247									
248									